

SEMI-ANNUAL RESEARCH REPORT

July-December 2012

Acknowledgements

We would like to extend our gratitude to all of the AMPATH investigators and project teams who contributed updates for this report as well as their project sponsors who help support our research programs. We would also like to acknowledge the contributions and support of AMPATH's co-directors of research, Professors Winstone Nyandiko and Tom Inui, whose support and guidance have helped strengthen this report.

Editorial Team

Shawn Grinter Jepchirchir Kiplagat-Kirui **David Plater Eunice Walumbe**

Copyright © February 2013 - AMPATH Research Program Office

Contacts

Jepchirchir Kiplagat-Kirui

AMPATH Research Network Administrative Manager

(Kenya)

AMPATH Center P.O. Box 4606 Eldoret, Kenya

Email: research.manager@iukenya.org Phone: +254 53 203 3471 ext. 3719

Fax: +254 53 206 1992

David Plater

AMPATH Research Network Administrative Manager (North America) Regenstrief Institute, Inc.

1050 Wishard Boulevard, RG 5 Indianapolis, IN 46202

Email:research.manager@iukenya.org

Phone: +1-317-630-7668 Fax: +1-317-630-8776

Please visit the AMPATH Research Program website to learn how our research programs are helping improve the health of the Kenyan people.

www.medicine.iu.edu/ampathresearch

Contents

Executive Summary	i
Research Project Updates	2
A5225/HiFLAC Protocol – A Phase I/II Dose-Finding Study of High-Dose Fluconazole Treatment in AIDS-Associated Cryptococcal Meningitis	2
A Population-wide Home-Based Study of Hypertension Prevalence in Western Kenya	2
A Retrospective Analysis of Pregnancy Outcomes of HIV-Infected Women Enrolled in The AMPATH Program	4
A Stage 2 Cognitive Behavioral Trial, Reduce Alcohol First in Kenya Intervention (RAFIKI)	4
A5264/AMC067 – A Randomized Evaluation of Antiretroviral Therapy Alone or with Delayed Chemotherapy versus Antiretroviral Therapy with Immediate Adjunctive Chemotherapy for Treatment of Limited Stage AIDS-KS in Resource-Limited Settings (REACT-KS)	5
A5265 – A Phase III, Open-Label, Randomized, Assessment-Blinded Clinical Trial to Compare the Safety and Efficacy of Topical Gentian Violet to that of Nystatin Oral Suspension for the Treatment of Oropharyngeal Candidiasis in HIV-1 Infected Participants in Non-U.S. Settings	6
Addressing the Fourth Delay: Improving Communitybased Accountability for Maternal and Newborn Health	6
Antibiotic Sensitivity Patterns Among Post-Mortem Bacterial Isolates. A Sub-Study In The Autopsy Study, Version 1.0, October 31, 2011 (AST Study)	8
Anticoagulation Project	8
Assessment and Treatment of Pain in MTRH	9
Awareness Of Breast Cancer, Among Men And Women In Western Kenya	10
Biomarkers of Vincristine Toxicity in Kenyan Children	10
Building Competencies through Bilateral International Exchanges-Using Qualitative Methods to Measure the Impact on Pediatric Residents from Host and Visiting Countries in Professionalism, Communication and Systems-Based Care	
Causes of early mortality in HIV-infected Africans on antiretroviral therapy	11
Cervical Cancer See and Treat: How Best to Follow-up	12
CDC RECORDS Study	13
Childhood Leukemia in Kenya Identified Through Malaria Slide Review	14
Comparison of Protein Energy Malnutrition and Malaria Levels in AMPATH and Non-AMPATH COBESCentres in Western Kenya	
Computerized Counseling to Promote Positive Prevention and HIV Health in Kenya (CARE+ Kenya)	15

Cross-Cultural Histories of Family Care-Giving to AIDS Orphans in Western Kenya	19
Descriptive Study of Patients Seeking Emergency Care in Western Kenya	20
Diabetes Mellitus and Glucose Intolerance in HIV Patients in Western Kenya	20
Drug resistance in HIV infected Children after Failure of Prevention of Mother to Child Transmission in Western Kenya	a .20
EARNEST: A randomised controlled trial to evaluate options for second-line therapy in patients failing a first-line 2NR NNRTI regimen in Africa	
Enhancing Infant Feeding Options for HIV Infected Mothers	22
Enhancing Training for Implementation Research in Chronic Disease: CITE/Kenya	22
Evaluating Handheld Clinical Decision Support Tools to Improve Community-Based Delivery of Reproductive and Pedi Health Services	
Evaluation of A Comprehensive Strategy to Measure Pediatric Adherence to Antiretroviral Therapy (CAMP study)	24
Feasibility Intervention Trial of Two Types of Improved Cook Stoves in Three Developing Countries	26
Health Facility Incentives to Improve Adherence to Malaria Diagnostic Test Results	27
Improving Diabetes Management and Cardiovascular Risk Factors Through Diabetes Peer Group Education In Wester Kenya	
Increasing Animal Source Foods in Diets of HIV-Infected Kenyan Women and their Children	28
Indiana University-Moi University Academic Research Ethics Partnership (IU-Moi AREP)	29
International epidemiologic Databases to Evaluate AIDS (IeDEA)	30
IU Health Cardiovascular Research Biobanking Project	32
Levels of Breast Cancer Awareness Among Women Volunteering for Breast Cancer Screening in Western Kenya	32
Modified Directly Observed Antiretroviral Therapy (M-DART): An Intensive, Nurse-Directed, Home-Centered, Treatmostrategy to Reduce Mortality and Loss to Follow-Up in High-Risk HIV-Infected Patients Initiating Antiretroviral Therap	
National Cancer Institute Supplement to East African IeDEA: Improving Kaposi's Sarcoma, Lymphoma Diagnostics, and Assessing Kaposi's Sarcoma Incidence in Western Kenya.	
Patient-Centered Disclosure Intervention for HIV-Infected Children, Helping AMPATH Disclose Information and Talk about HIV Infection (HADITHI)	35
Patient-Reported Outcomes of Cancer Care in Eldoret, Kenya	36
Prevalence and Impact of Alcohol Use in Patients Enrolling in HIV Care	36
Quinolone Use by Patients with Tuberculosis in a Large HIV Treatment Program in Western Kenya	37

F	REACH Informatics Center of Excellence	37
F	Reducing Early Mortality and Early Morbidity by Empiric Tuberculosis Treatment Regimens (REMEMBER)	39
F	Renal Study	39
S	Screening for Cervical Cancer in HIV positive Kenyan women	40
	Survival among HIV-infected Patients with Kaposi's Sarcoma in sub-Saharan Africa in the Era of Potent Antiretroviral Therapy	40
Т	The Implementation of a Neonatal Nurse Training Program at the Riley Mother Baby Hospital of Kenya	41
	The IU Simon Cancer Center (IUSCC) AMPATH-Oncology Institute (AOI): An Exemplar of Care for the Developing World a Population-Based Research Environment for IUSCC	
T	The Prevalence of Markers of Atherosclerosis Among Adult Patients with Congestive Cardiac	43
T	The Prevalence of Rheumatic Heart Disease in Western Kenya: an Echocardiographic Study	44
Т	The relationship of Indoor Air Pollution (IAP) Exposure to Isolated Right Heart Failure (IRHF)	45
Т	The Susan G. Komen for the Cure® Tissue Bank at the IU Simon Cancer Center Kenya Project	45
Bib	liography	47
P	Published	47
I	n Press/Review	62
Ind	ley .	64

Executive Summary

Every six months the AMPATH Research Program compiles reports from investigators involved in more than 110 open research studies at AMPATH in Western Kenya. The following report represents our collective progress from July to December 2012 and highlights the collaborative efforts of investigators from 15 academic institutions in North America and Kenya. These studies provide critical clinical research and bioethics training opportunities for Kenyan students, increase understanding of persistant health challenges like drug resistant HIV, TB, and malaria, and help improve clinical care for chronic diseases like cancer, diabetes, and heart disease.

The July – December 2012 Semi Annual Report includes updates from 53 studies examining some of the most persistent health challenges in Kenya. It includes reports from 13 new studies, which have started work at AMPATH sites since June 2012. The addition of these studies has increased AMPATH's overall research program portfolio by nearly US\$ 4.5 million in grant support from the NIH, USAID, WHO, and numerous other sponsors such as the Bill and Melinda Gates Foundation and the Walther Cancer Foundation. In addition, more than 50 new publications appearing in peer reviewed journals have been published by AMPATH investigators since June 2012.

This report describes a research program that has grown rapidly over the last decade. It is intended to showcase our program's progress and help investigators identify opportunities to develop additional research. Updates were collected from project teams using an online survey and include a list of project team members, AMPATH project sites, sponsors and awards, a general project overview, and a brief description of progress made since June 2012. The report concludes with a bibliography of AMPATH research publications.

We hope you will visit the Research Program Website, www.medicine.iu.edu/ampathresearch, to find previous semiannual reports and additional information on how AMPATH's research programs are helping improve the health of the Kenyan people.

Research Project Updates

Project Name:	A5225/HiFLAC Protocol – A Phase I/II Dose-Finding Study of High-Dose Fluconazole Treatment in AIDS-Associated Cryptococcal Meningitis			
Investigator(s):	Sidle, J. Siika, A. Lagat, D.			
Start Date:	5/18/2011	End Date:	12/31/2013	
Sponsors:	The National Institute of Allergy and Infectious Diseases Direct Cost (USD): Not Reported			
Site(s):	Moi Teaching and Referal Hospita	l (MTRH)		
Project Description:	A5225/HiFLAC is a phase I/II dose escalation and validation study of the safety, tolerability, and therapeutic effect of an induction-consolidation strategy of high-dose fluconazole alone for the treatment of cryptococcal meningitis (CM) in HIV-infected participants. The study will proceed in two stages. In Stage 1, Dose Escalation, up to three induction doses of fluconazole will be tested in sequentially enrolled cohorts. Stage 2, Dose Validation, will not open until the maximum tolerated dose (MTD) of fluconazole has been identified in Stage 1. In Stage 2, induction doses of fluconazole that are found to be safe in Stage 1 will be tested in simultaneously enrolled cohorts. In each stage, participants will be randomized at entry into Step 1. Over the course of the study, participants will register to subsequents steps (Steps 2-4) based on their initial randomization and/or their response to treatment. The study steps are: • Step 1: Induction therapy with either high dose fluconazole or ampho B • Step 2: Induction following early ampho B intolerance (only for participants randomizedto ampho B treatment in Step 1) (fluconazole at 400-800 mg daily) • Step 3: Consolidation therapy (fluconazole 400 mg daily)			
Update:	The site enrolled a total of 14 participants into cohorts 1 and 2 of the protocol. Currently cohort 3 is open to accrual but the site has not enrolled any participants into this new cohort. IREC suspended accrual of new participants in August 2012 due to high mortality rate (3 deaths out of 14). This suspension has since been lifted following provision of relevant data on mortality amongst patients with cryptococcal meningitis in several countries. The site is currently looking for potential participants to recruit.			
Project Name:	A Population-wide Home-Based Study of Hypertension Prevalence in Western Kenya			
Investigator(s):	Velazquez, E. Kimaiyo, S.			

	Akwanalo, C. Bloomfield, J. Hogan, J. Maghasi, M. Anstrom, K.		
Start Date:	2/1/2012	End Date:	12/31/2013
Sponsors:	NIH/NHLBI	Direct Cost (USD):	\$20,000
Site(s):	Mosoriot		
Project Description:	Hypertension is one of the increasingly important health challenges facing the African continent and yet data on true community prevalence of hypertension in sub-Saharan Africa (SSA) is limited. The prevalence of hypertension in truly rural populations was said to be a rarity but this must have changed because of adoption of Western lifestyle. Recent studies indicate that the prevalence of hypertension and its clinically important outcomes is steadily increasing in SSA, more in the urban compared to semi urban and rural communities.		
	The study will be conducted in two phases. Phase one of the study will be a cross sectional study which will be conducted on persons aged 18yrs or older from Mutwot location, Kosirai division, to assess for hypertension and diabetes mellitus. Diagnosis of hypertension and diabetes will be based on the JNC 7 and American diabetes association criteria. In the second phase of the study those individuals who are newly diagnosed with hypertension (at least 193 cases) will be assessed for target organ damage and compared to controls (386) in a 1 to 2 ratio. Target organ damage will be defined as the detection of electrocardiogram-left ventricular hypertrophy (ECG-LVH), micro albuminuria, or history of a stroke.		
Update:	We obtained IREC approval in August 2011 and NHLBI approval in December 2011. Training of counselors and research assistants on Diabetes and Hypertension screening and use of phone technology in data entry was completed in 2011 and included the online CITI Human Subjects Protection course.		
	Since recruitment and screening for this study began in February 2012, the team has screened 1,586 patients in the Kosirai Division. Of these, 230 patients were referred to the clinic for confirmation of high blood pressure and 119 of referred patients have presented to the clinic. A total of 114 patients have been diagnosed with Hypertension and 5 with diabetes.		
	We are currently awaiting IREC approval to begin a community outreach effort with the goal of tracing the participants who have not presented to the clinic.		
	The following challenges have been identified thus far:		
	Screened patients do not report to designated health facilities due to lack of transport		
	Stigma related to HIV since HIV testing is being performed at the same time as blood pressure and diabetes testing.		

Project Name:	A Retrospective Analysis of Pregnancy Outcomes of HIV-Infected Women Enrolled in The AMPATH Program		
Investigator(s):	Bell, A. Were, E. Musick, B. Lane, K. Washington, S. Shen, C. Akhaabi, P. Hogan, J. Wools-Kaloustian, K.		
Start Date:	3/1/2006	End Date:	5/31/2013
Sponsors:	Not Reported	Direct Cost (USD):	Not Reported
Site(s):	All Sites		
Project Description:	 All Sites This is a retrospective analysis of pregnancy outcomes of HIV-infected women enrolled in the AMPATH program from January 2006 to March 2009. Per protocol, pregnant women with CD4 < 200 begin cART immediately and those with a CD4 ≥ 200 start at 28 weeks gestation. The pregnancy outcomes are being compared between women pregnant at program enrollment (BE) and those who became pregnant after enrollment (AE). The specific hypotheses include: Women who are already enrolled in the AMPATH program at the time of pregnancy diagnosis are more likely to initiate ART sooner (at a lower gestational age) than those who are not in the program prior to pregnancy diagnosis. Women who are already enrolled in AMPATH at the time of pregnancy diagnosis are less likely to give birth to an HIV-infected baby than those who are not enrolled in the program prior to pregnancy diagnosis. Women who are already enrolled in AMPATH at the time of pregnancy diagnosis will have better retention and adherence rates than those who are not enrolled in the program prior to pregnancy diagnosis. Women who are already enrolled in the AMPATH program will have a lower rate of stillbirth and infant loss than those who are not enrolled in the program prior to pregnancy diagnosis. 		
Update:	The preliminary findings were presented on January 10, 2012 at the 2 nd International Conference on HIV and Women in Bethesda, Maryland. Feedback from the conferees was incorporated into the analysis plan. The dataset has been revised significantly. The analysis is underway. We expect to submit the manuscript for publication during the next quarter.		
Project Name:	A Stage 2 Cognitive Behavioral Tri	al, Reduce Alcohol First	in Kenya Intervention (RAFIKI)

Investigator(s):	Papas, R. Gakinya, B. Martino, S. Maisto, S. Baliddawa, J. Sidle, J. Hogan, J. Carroll, K.		
Start Date:	11/1/2011	End Date:	8/31/2016
Sponsors:	NIAAA	Direct Cost (USD):	\$2,268,832
Site(s):	MTRH, Turbo, Webuye Hospital, II	ten	
Project Description:	This study will determine whether a group cognitive-behavioral therapy intervention that demonstrates preliminary evidence of reducing alcohol use among HIV-infected outpatients in western Kenya is effective when compared against a group health education intervention in a large sample over a longer period of time. It will be delivered by paraprofessionals, individuals with limited professional training. This approach is consistent with successful cost-effective models of service delivery in resource-limited settings in which paraprofessionals (e.g., clinical officers, traditional birth attendants and peer counselors) are trained.		
Update:	Recruitment for the trial began in July 2012. We have since completed recruitment and randomization of 3 intervention cohorts, for a total of 92 participants. Participants have completed a 6-week group cognitive behavioral therapy or health education intervention delivered by paraprofessional counselors. Follow-ups for participants who have completed the intervention stage began in October and are ongoing. Target recruitment goals have been met and retention has been excellent.		
Project Name:	A5264/AMC067 – A Randomized Evaluation of Antiretroviral Therapy Alone or with Delayed Chemotherapy versus Antiretroviral Therapy with Immediate Adjunctive Chemotherapy for Treatment of Limited Stage AIDS-KS in Resource-Limited Settings (REACT-KS)		
Investigator(s):	Siika, A. Busakhala, N. Njiru, E.		
Start Date:	11/28/2012	End Date:	Not Reported
Sponsors:	National Institute of Allergy and Infectious Diseases (NIAID), National Cancer Institute (NCI), and National Institute of Dental Craniofacial Research (NIDCR)	Direct Cost (USD):	Not Reported
Site(s):	MTRH		

Project Description:	A5264/AMC 067 is a phase III, open-label, prospective, randomized study stratified by CD4+ lymphocyte cell count and antiretroviral therapy (ART) history. The study will compare the KS tumor outcomes of ART alone or with delayed Etoposide (ET) to ART with immediate ET, for initial treatment of limited stage AIDS-KS in chemotherapy and radiation treatment naïve HIV-1 infected participants who are currently not receiving ART		
Update:	A total of 3 participants have been	n enrolled at Eldoret, Ke	nya site.
Project Name:	A5265 – A Phase III, Open-Label, F the Safety and Efficacy of Topical Treatment of Oropharyngeal Cand	Gentian Violet to that o	
Investigator(s):	Siika, A. Lagat, D.		
Start Date:	2/1/2012	End Date:	12/31/2012
Sponsors:	The National Institute of Allergy and Infectious Diseases (NIAID) and The National Institute of Dental and Craniofacial Research (NIDCR)	Direct Cost (USD):	Not Reported
Site(s):	MTRH		
Project Description:	A5265 is a phase III, open-label, randomized, assessment-blinded clinical trial in non-U.S. sites to compare the safety and efficacy of topical gentian violet (GV) to that of oral nystatin. Therapy will be considered as failed if participants have no clinical improvement (assessed by severity and extent of pseudomembranous candidiasis) during either treatment regimen. Evaluation of signs and symptoms of oral candidiasis (OC) will be done by an evaluator who is blinded to treatment assignment. Quantification of colony forming units (CFUs) of Candida species (spp.) and assessment of the emergence of resistance will be performed using an oropharyngeal swab and a second specimen from oral rinse/throat wash will be collected and stored for future testing		
Update:	A total of 15 participants were enrolled and all completed required study follow up period. On September 27, 2012, there was a Data Safety Monitoring Board (DSMB) review of the interim data for A5265 through July 19, 2012 (165 subjects). Following DSMB recommendations, accrual was temporarily stopped at all participating sites. DSMB recommendations will be addressed in a new protocol version before restarting enrollment again.		
	T		
Project Name:	Addressing the Fourth Delay: Improving Communitybased Accountability for Maternal and Newborn Health		
Investigator(s):	Christoffersen-Deb, A. Songok, J. Ruhl, L.		

	Fazen, L.		
Start Date:	12/1/2011	End Date:	12/1/2013
Sponsors:	Grand Challenges Canada	Direct Cost (USD):	\$997
Site(s):	Mosoriot, Teso, Port Victoria		
Project Description:	This project seeks to address a critical fourth delay that sustains high rates of maternal and neonatal mortality in Western Kenya: the delay in a community's accountability to its mothers and infants. An innovative information technology platform that fosters rapid communication and feedback between mothers, their communities, and their healthcare providers called the Mother-Baby Health Network will be developed.		
	This information platform will accomplish three primary objectives: (1) Facilitate home and group-based care through Community Health Workers (CHWs) to improve collective advocacy; (2) Provide communities with the capabilities to activate an emergency alert system; and (3) Foster transparency in community and health system responsiveness to maternal and newborn health. CHWs will be equipped to use clinical decision-support on Android phones to correctly triage women and newborns for care. Integrated with SMS messaging, they will be capable of notifying healthcare providers, alerting nearby GPS-tracked Mother-Baby Taxis in an emergency transport system, and activating a personalized community of Mother-Baby Advocates to mobilize local resources. The Mother-Baby Health Network will strengthen dialogue between communities and facilities to create a sustainable, community-driven demand for accountable maternal and newborn care at all levels of care. Recognizing that 'it takes a village', the Mother-Baby Health Network will provide communities in western Kenya with the information and communication tools they need to ensure that every mother and child has access to essential care at time of delivery and within the first 48 hours of birth.		
Update:	Focus group discussions and barazas have been held. CHWS have been visited to reinforce the 48 hour visit. Meetings have been held with community leaders in Kosirai.		

Project Name:	Antibiotic Sensitivity Patterns Among Post-Mortem Bacterial Isolates. A Sub-Study In The Autopsy Study, Version 1.0, October 31, 2011 (AST Study)		
Investigator(s):	Kwobah, C. Siika, A. Mwangi, A. Swierczewski, B. Odundo, E.		
Start Date:	04/12/2012	End Date:	06/30/2012
Sponsors:	NIH-NIAID	Direct Cost (USD):	Not Reported
Site(s):	MTRH KEMRI/Walter Reed Program, Ker	ichofor sample processi	ng
Project Description:	The Autopsy Study was initiated in February 2010. The study aims to determine causes of death in HIV-infected patients who die while on antiretroviral therapy (ART). Part of the study procedures include microbial (bacterial, mycobacterial and fungal) cultures from body fluids and tissues including blood, bone marrow, cerebrospinal fluid, lung, spleen, stool, pus and any abnormal collections of fluid found in the bodies during autopsies. The AST sub-study aims to conduct antibiotic susceptibility testing on bacterial isolates.		
Update:	Antibiotic sensitivity testing is ongoing in tandem with accrual from the main Autopsystudy.		
Project Name:	Anticoagulation Project		
Investigator(s):	Pastakia, S. Manji, I. Karwa, R. Akwanalo, C. Saina, C. Schellhase, E. Miller, M. Maina, M. Kanyi, J.		
Start Date:	12/1/2008	End Date:	12/31/2012
Sponsors:	Purdue University College of Pharmacy; Indiana Hemophilia and Thrombosis Center	Direct Cost (USD):	\$50,000
Site(s):	MTRH Webuye Hospital		
Project Description:	A comprehensive pharmacist run anticoagulation care management system customized to a resource constrained setting has been created and implemented. The primary interventional element of this program is the creation of an organized system for INR monitoring of patients requiring anticoagulation with warfarin.		

Update:	Retrospective analysis on the unique dynamics of thrombosis in HIV patients is currently ongoing. Preliminary data on the same was presented as an oral presentation at the American College of Chest Physicians annual meeting in October 2012, by Dr Sonak Pastakia. A manuscript for publication on this analysis will be submitted in a few months.		
Project Name:	Assessment and Treatment of Pair	n in MTRH	
Investigator(s):	Vreeman, R. Owino, C. Huang, K. Gramelspacher, G. Njuguna, F. Strother, M. Hagembe, M. Monahan, P. Tabbey, R.		
Start Date:	3/26/2011	End Date:	3/26/2012
Sponsors:	Indiana University School of Medicine Department of Medicine	Direct Cost (USD):	\$1,000
Site(s):	MTRH		
Project Description:	Pain is often inadequately evaluated and treated in sub-Saharan Africa. The objectives of this study were to assess pain and pain treatment in 400 hospitalized patients at a national referral hospital in western Kenya, and to identify factors associated with pain and pain treatment. Using validated Kiswahili versions of two single-item pain assessment tools, the Numerical Rating Scale and the Faces Pain Scale-Revised, patients' pain levels were determined. Additional data collected included patient demographics, prescribed analgesics, and administered analgesics. Mean pain ratings and Pain Management Index (PMI) scores were calculated. Averaged between the NRS and FPS-R, 80.5 percent of patients endorsed pain and 30 percent of patients reported moderate to severe pain. Older patients, patients with HIV, and cancer patients had higher pain ratings. 66 percent of patients had been prescribed analgesics at some point during their hospitalization, the majority of which were non-opioids. A majority of patients (66 percent) had undertreated pain (negative scores on the PMI). In conclusion, this study shows that hospitalized patients in Kenya are experiencing pain and that this pain is often under-treated.		
Update:	The second phase of our project was submitted for publication and published in BMC Palliative Care in July 2012.		

Project Name:	Awareness Of Breast Cancer, Among Men And Women In Western Kenya		
Investigator(s):	Asirwa, C. Busakhala, N. Inui, T. Naanyu, V. Wachira, J. Njiru, E. Strother, M. Mwangi, A. Loehrer, P.		
Start Date:	10/1/2011	End Date:	7/1/2014
Sponsors:	Walther Cancer Foundation	Direct Cost (USD):	\$1,200,000
Site(s):	Mosoriot, Burnt Forest, Mt. Elgon		
Project Description:	This is a questionnaire based stud- and women in Western Kenya. Th for breast cancer, signs and sympt	is includes questions re	lated to their knowledge of risks
Update:	We received a formal IREC approval on August 30, 2012. Breast screening was conducted in three sites and in the process, a total of 734 participants were recruited from Mosoriot, Turbo and Kapsokwony, Mount Elgon. A Redcap database is being designed for data entry.		
Project Name:	Biomarkers of Vincristine Toxicity	in Kenyan Children	
Investigator(s):	Renbarger, J. Njuguna, F. Skiles, J.		
Start Date:	6/23/2011	End Date:	6/30/2014
Sponsors:	NIH	Direct Cost (USD):	\$8,743
Site(s):	MTRH		
Project Description:	This study evaluates the presence of peripheral neuropathy induced by Vincristine in Kenyan children receiving chemotherapy. The main purpose is to assess whether the genetic makeup of each child (particular the genotype of CYP3A5) influences drug exposure and subsequent vincristine toxicity.		
Update:	At present, 91 subjects have been enrolled in the study. An IREC amendment requesting permission to increase our sample size and diagnostically target our population (by changing from patients with any cancer for which vincristine is utilized in the therapy to only those patients with ALL or NHL) has been submitted and is pending approval.		
Project Name:	Building Competencies through Bilateral International Exchanges-Using Qualitative Methods to Measure the Impact on Pediatric Residents from Host and Visiting Countries in		

	Professionalism, Communication and Systems-Based Care				
Investigator(s):	Litzelman, D. Ayaya, S. Umoren, R. Woodward, J. Vreeman, R. Palmer, M. Stelzner, S. Lorant, D. Riner, M.				
Start Date:	11/27/2007	End Date:	6/30/2014		
Sponsors:	IU Office of Research in Medical Education Direct Cost (USD): Not Reported				
Site(s):	MTRH				
Project Description:	This study uses focus groups to assess the impact of resident exchange project on participating residents from Indiana University School of Medicine (IUSOM), Moi University School of Medicine (MUSM), and Universidad Autonoma del Estado de Hidalgo Health Sciences Campus (UAEH) particularly related competencies in Professionalism, communication, Systems Based Practice, and Practice Based learning and improvement.				
Update:	Will recruit additional Kenyan registrars from the 2011 and 2012 groups that have completed the IU elective once study has been reapproved by IREC.				
Project Name:	Causes of early mortality in HIV-infected Africans on antiretroviral therapy				
Investigator(s):	Siika, A. Chumba, D. Buziba, N. Ayikukwei, R. Tierney, W. Wools-Kaloustian, K. Carter, J. Yiannoutsos, C.				
Start Date:	7/1/2009	End Date:	6/30/2013		
Sponsors:	NIH-NIAID	Direct Cost (USD):	\$448,880		
Site(s):	MTRH				
Project Description:	The autopsy study aims to determine the causes of early mortality in AMPATH -enrolled HIV-infected African patients on ART. The central hypothesis in this study is that the vast majority of early deaths in HIV infected African patients on ART are caused by treatable infectious complications. The rationale behind this research study is that interventions to interrupt early death in HIV-infected patients on ART are more likely to succeed if they				

	target cause-specific mortality. Further, solutions to HIV care and treatment challenges in sub-Saharan Africa are more likely to be found if the research conducted addresses the region's specific healthcare needs and the results of such research can be translated into local practice.		
	The study has three sub-s Committee (IREC). Two ar	e currently running (AST_Subs	ved by Institutional Review Ethics tudy and Malaria) while one (DOM of funds to run more TB isolates.
	The study has two specific	c aims:	
		auses of death by performing d in the first 12 months of ART.	etailed pathological autopsies in
	 To develop a verbal autopsy questionnaire that is accurate, specific to HIV infection, and appropriate for identifying causes of death in resource constraine settings. 		
Update:		athological autopsies and 400 v to date is 321 pathological auto	verbal autopsies on the next of kin psies and 321 verbal autopsies
	 Pathological Autopsies – The study has so far conducted a total of three Central Review Board (CRB) to ascertain causes of death (September 2010, July 2011, April 2012 and Nov 2012). Causes of death for 262 participants have been ascertained. 		
	 Verbal Autopsies – The study conducted a total of four CRB to ascertain causes of death using verbal autopsy (September 2010, September 2011, April 2012 and Nov 2012). Causes of death for 312 participants have been ascertained. 		
	 Training – The study sponsored two of its staff to participate inantiretroviral therapy training in September 2012. 		
Project Name:	Cervical Cancer See and T	reat: How Best to Follow-up	
Investigator(s):	Cu-Uvin, S. Omenge, E. Mabeya, H. Washington, S. Itsura, P.		
Start Date:	9/1/2011	End Date:	6/30/2013
Sponsors:	Not Reported	Direct Cost (USD):	Not Reported
Site(s):	MTRH Mosoriot Turbo Chulaimbo	,	<u>'</u>
Project	This is a cross sectional study involving 660 HIV-infected women attending 4 AMPATH-		

Description:	CCSPP (Cervical cancer Screening and Prevention Program) sites who have undergone VIA and cryotherapy >6 months for cervical dysplasia. Demographic information as well as a full medical history will be obtained. They will undergo a gynecologic examination. Women with suspected frank cervical cancer or current genital tract infection will not be enrolled and will be referred for standard of care. Women with genital tract infection will undergo syndromic treatment and will be eligible to be enrolled 3 weeks after treatment if they have cleared the infection. During the gyn exam, the following will be done for all study participants: VIA, conventional Pap smear, endocervical cytobrush for HPV typing. All women with positive VIA result will undergo colposcopy and biopsy at the next available colpo/biopsy clinic day. Those with negative VIA result will return in 4-6 weeks to receive the results of their Pap smear and HPV typing. If either the Pap smear or HPV typing is abnormal, they will undergo colposcopy with biopsy on the next available colpo/biopsy clinic day. Women with negative VIA, PAP smear and HPV will follow standard of care that is annual screening with VIA. Histological diagnosis will be the gold standard. Women will be asked several questions regarding their experience.			
Update:	Not Reported			
Project Name:	CDC RECORDS Study			
Investigator(s):	Tierney, W. Diero, L. Chemwolo, B. Ayaya, S. Songok, J. Sidle, J. Were, M. Wools-Kaloustian, K. Caloia, D. Spitzer, R.			
Start Date:	9/1/2007	End Date:	12/31/2011	
Sponsors:	CDC	Direct Cost (USD):	\$1,131,288	
Site(s):	MTRH Mosoriot Turbo Burnt Forest Mother and Baby Hospital			
Project Description:	Develop a primary care module for the AMPATH rural health centers and for MTRH's TB, ANC, and Sick Child clinics. To use this module to help coordinate care among patients whose care is shared by both the primary care providers and AMPATH by adding the primary care data to the AMRS and then producing visit summaries with preventive care reminders.			
Update:	This project ended with successfu collection is done, and data analys			

	were submitted to the 2013 Medinfo meeting in December 2012.				
Project Name:	Childhood Leukemia in Kenya Identified Through Malaria Slide Review				
Investigator(s):	Vik, T. Njuguna, F. Skiles, J. Moormann, A.				
Start Date:	7/1/2012 End Date: 6/30/2014				
Sponsors:	Alex's Lemonade Stand Foundation for Childhood Cancer Direct Cost (USD): \$200,000				
Site(s):	MTRH Turbo Kitale				
Project Description:	The aim of this study is to improve the case detection rate of leukemia by retrospectively reviewing blood smears done for malaria screening to identify children with leukemia in defined population cohorts. If the case detection rate can be improved by utilizing a common and well established procedure, then there is potential to identify children, refer them earlier for treatment and save lives.				
Update:	The study started in July 2012. Protocols and procedures were established for collecting malaria slides at the main site at Kitale District Hospital. Collection of slides began in September 2012, with the plan to collect 12-18 months of slides at that site. Review of the first set of slides began in 1/2013. No publications have been submitted.				
Project Name:	Comparison of Protein Energy Malnutrition and Malaria Levels in AMPATH and Non-AMPATH COBESCentres in Western Kenya				
Investigator(s):	Taylor, K. McDowell, M Kwena, A. Simeon, J. Mining, S. Wakhisi, J.				
Start Date:	8/1/2011	End Date:	8/1/2013		
Sponsors:	Moi University	Direct Cost (USD):	\$7,600		
Site(s):	Mosoriot Turbo Burnt Forest Amukura Naitiri				

	Chulaimbo Nambale			
Project Description:	The main objective of the study is to determine the nutritional status of children in COBES AMPATH and non-AMPATH centres. In addition, this study seeks to ascertain if the presence of AMPATH has been beneficial in elevation of malnutrition in some centres.			
Update:	Cross-sectional were conducted using structured questionnaires. Anthropometic measurements were carried out on all children< 5 years old. Stunting, Wasting and Underweight appeared to be lower in AMPATH centres when compared to non-AMPATH centres implying the beneficial presence of AMPATH in the community. Presented to 8th Moi University Annual International conference, Sept., 2012.			
Project Name:	Computerized Counseling to Promote Positive Prevention and HIV Health in Kenya (CARE+ Kenya)			
Investigator(s):	Kurth, A. Siika, A. Sidle, J. Ayuku, D. Baliddawa, J. Fortenberry, J, D. Wools-Kaloustian, K.			
Start Date:	8/14/2009	End Date:	6/30/2013	
Sponsors:	NIH-NIMH	Direct Cost (USD):	\$1,810,361	
Site(s):	MTRH Burnt Forest			
Project	The specific aims of this project ar	re:		
Description:	1. Adapt a theoretically driven computerized counseling intervention (CARE+ Kenya) for use in Western Kenya (1st 18 months).			
	2.1.A. Conduct interviews with up to 25 HIV-positive urban and up to 25 rural men and women patients from the Academic Model Providing Access to Healthcare (AMPATH) to understand HIV and computer training needs. Conduct two staff focus groups (n~16) to assess positive prevention and ART adherence support practices, beliefs about patient computer use and training needs.			
	understand HIV and computer tra	ining needs. Conduct tw	vo staff focus groups (n~16) to	
	understand HIV and computer tra assess positive prevention and AR	ining needs. Conduct tw T adherence support pr ention content,translate videos on 'positive heal	o staff focus groups (n~16) to actices, beliefs about patient and record audio files into local	
	understand HIV and computer tra assess positive prevention and AR computer use and training needs. 2.1.B. Using above, modify interve Kiswahili, and adapt skill-building	ining needs. Conduct tw T adherence support pr ention content,translate videos on 'positive heal tc.). usability testing with 10 day test-retest reliabilit	o staff focus groups (n~16) to actices, beliefs about patient and record audio files into local th' (prevention, disclosure, ART) urban and 10 rural patients	

counseling intervention in Kenya ('CARE+Kenya') (Months 18-42).

- 2.2.A. Longitudinal RCT in an urban and a rural clinic. Randomly assign HIV-positive adults with missed ART doses on self-report, pharmacy refill or pill counts; or unprotected sex in last 6 months, >1 partner in last year, or sexually transmitted infection (STI) in last 3 years; to intervention (n=125) or risk-assessment control (n=125) for baseline, 3, 6, and 9 month sessions. HIV transmission risk will be measured by self-reported unprotected sex with HIV-negative/unknown partner, and trends in C. trachomatis, N. gonorrhoeae, T. vaginalis. ART adherence will be measured by HIV-1 viral load at 0, 6, 9 months, and at all time points, by electronic monitoring, pharmacy refill, self-report, and clinic attendance.
- 2.3 Establish cost-effectiveness of computerized counseling in Kenya (Months 1-48).
- 2.3.A. Follow patients at the two clinics to evaluate standard of care counseling messages and collect patient time-spent data (n=100, at baseline), to determine unmet patient counseling need.
- 2.3.B. Economically evaluate CARE+Kenya. If RCT shows the intervention reduces viral load and transmission risks, we will use a Bernoulli transmission dynamics model to estimate number of secondary HIV infections prevented; then create a cost-effectiveness model to calculate 2 incremental cost-effectiveness ratios: 1) cost/HIV infection averted, and 2) cost/disability adjusted life year (DALY) saved.
- 2.3.C. If CARE+ Kenya is efficacious and efficient, we will develop a proposal for a cluster-randomized trial to assess translational effectiveness of CARE+ Kenya throughout the AMPATH system.

Update: Accrual Update

Target approval by the IREC/IRB:

- A. Patient Interviews
 - Burnt Forest=25
 - Module 1=25
- B. FGD
 - Burnt Forest=25
 - Module 1=25
- C. Time-Motion Study
 - Burnt Forest=100
 - Module 1=100
- D. Usability software testing
 - Burnt Forest=10 Participant
 - Module 1=10 Participant
 - Burnt Forest=8 Staff

Module 1= 8 Staff

Accrual since beginning of study:

- A. Patient Interviews
 - Burnt Forest=24
 - Module 1=15
- B. FGD
 - Burnt Forest=10
 - Module 1=20
- C. Time-Motion Study
 - Burnt Forest=100
 - Module 1=100
- D. Usability software testing
 - Burnt Forest=10 Participants
 - Burnt Forest=5 Staff

Accrual since last update:

- A. Usability software testing
 - Burnt Forest=10 Participants
 - Module 1=11 Participants
 - Burnt Forest=5 Staff
 - Module 1=5 Staff
- B. RCT
 - Burnt Forest = 109
 - Module 1 = 126

Achievements

The study has successfully exited majority of our study participants in Module1 and expect to have exited all participants in Burnt Forest by end of February 2013.

The IRBs of each institution in the study approved the following amendments:

- a) Rewording the study's policy on reimbursement of participants for travel to study sites to better reflect participant needs.
- b) A questionnaire form for conducting patient exit interviewscapturing participant feedback and experiences with the CARE+ Tool. This will allow the CARE+ Tool to be adjusted to incorporate changes as needed for future projects.
- c) A questionnaire form for exit interviews questionnaire with a minimum of 30 participants from each of the study sites to be sure that participant feedback is

reflected in future changes and improvements to the CARE+ computerized platform.

d) A continuing approval was granted untilJune 30, 2013.

Support Visits

The CARE+ Principal Investigator came to Kenya in November to oversee the CARE Plus Kenya team during the exit of study participants from Module1 and Burnt Forest and meet with the data team to discuss study timelines. This was a follow-up to a September 2012 site visit by the NYU Study Coordinator.

Psychological Findings

Some of the psychological findings we have documented for Module1 and Burnt forest since recruitment began were as follows:

- Depression
 - o Module1=41
 - o Burnt Forest= 10
- Intimate Partner Violence (IPVs)
 - Module1= 118
 - Burnt Forest= 68
- Suicidal thoughts
 - o Module1= 77
 - o Burnt Forest= 18

All participants were referred by the study team to the psychosocial department for ongoing treatment and care including follow-up psychological assessments.

Lab Testing Results

The following findings have been documented since recruitment began:

Burnt Forest Baseline Exit		
Viral Load >5000 copies/ml	16	0
Neisseria gonorrhoeae Positive	2	1
Chlamydia trachomatis Positive	2	0
Trichomonas Positive	10	0
Module 1	Baseline	<u>Exit</u>
Module 1 Viral Load >5000 copies/ml	Baseline 25	Exit 11
Viral Load >5000 copies/ml	25	11

ultural Histories of Family on-Putman, J. a, H.	Care-Giving to AIDS Orp	·
on-Putman, J. a, H.	-	·
a, H.	End Date:	42/4/2042
009	End Date:	12/1/2012
		12/1/2013
esearch Support Funds	Direct Cost (USD):	\$35,000
Mosoriot Chulaimbo		
The overall goal of the project is to complete an anthropological and clinic-based study that seeks to understand the history of the care-giving experiences of primary providers of care-giving to AIDS orphans in Kenya among two different cultural groups served by the same AMPATH support program.		
All initial and follow-up interviews have been completed. We are now working on a second draft of codebooks for the two different cultural groups. Our plan is to finalize the codebooks, complete data analysis and submit some publications by the end of 2013.		
	H support program. al and follow-up interview	H support program. al and follow-up interviews have been completed. codebooks for the two different cultural groups.

Project Name:	Descriptive Study of Patients Seek	ing Emergency Care in \	Western Kenya			
Investigator(s):	House, D. Nyabera, S. Kurt, Y.					
Start Date:	01/01/2011 End Date: 12/20/2012					
Sponsors:	Not Reported Direct Cost (USD): Not Reported					
Site(s):	MTRH					
Project Description:	Descriptive study of patients seeking emergency care at MTRH for the year of 2011. Data includes demographics, diagnosis, and disposition. The data will allow for assessment of needs for the department.					
Update:	Study has ended and manuscript h	nas been submitted for	publication.			
Project Name:	Diabetes Mellitus and Glucose Into	olerance in HIV Patients	s in Western Kenya			
Investigator(s):	Carter, J. Kirui, N. Kamano, J. Diero, L. Chege, P. Pastakia, S. Gardner, A. Mwangi, A.					
Start Date:	9/3/2012	End Date:	8/31/2015			
Sponsors:	Not Reported	Direct Cost (USD):	Not Reported			
Site(s):	MTRH Webuye Hospital					
Project Description:	The goal of this study is to determine the association between diabetes mellitus, glucose intolerance, and HIV among HIV positive patients in Western Kenya. In this study, we propose that HIV and ART use increases the risk of diabetes mellitus and glucose intolerance among HIV patients in Western Kenya.					
Update:						
Project Name:	Drug resistance in HIV infected Ch Transmission in Western Kenya	ildren after Failure of P	revention of Mother to Child			
Investigator(s):	Kantor, R. Nyandiko, W. Vreeman, R. Songok, J.					

	Diero, L. Kosgei, R. Ayaya, S.				
Start Date:	05/03/2011	End Date:	10/4/2013		
Sponsors:	Not Reported	Direct Cost (USD):	Not Reported		
Site(s):	MTRH Turbo Kitale				
Project Description:	The project seeks to determine the proportion of children becoming HIV infected despite interventions of pMTCT, and the type, if any of antiretroviral drug resistance in those children who get HIV infected after failure of pMTCT.				
Update:	The study has enrolled a total of 13 participants, 9 at MTRH,4 at Kitale, and 0 at Turbo. All 13 study participants have been consented. This marks an increase of two patients since the last report one at MTRH and one at Kitale. No participants have withdrawn from the study. Participant recruitment remains slow due to few patients turning positive after undergoing the vibrant pMTCT program offered by AMPATH.				
Project Name:	EARNEST: A randomised controlled trial to evaluate options for second-line therapy in patients failing a first-line 2NRTI+ NNRTI regimen in Africa				
Investigator(s):	Wools-Kaloustian, K. Siika, A.				
Start Date:	2/9/2011	End Date:	12/31/2014		
Sponsors:	European and Developing Countries Clinical Trials Partnership (EDCTP)& theMedical Research Council				
Site(s):	MTRH				
Project Description:	EARNEST is a three arm parallel group, open-label, multi-centre, randomised controlled trial. The study will recruit 1200 HIV-infected adults who have taken a first-line NNRTI-based regimen continuously for a total period of at least 12 months, and developed treatment failure defined by modified WHO 2010 criteria as one of the following: New WHO Stage 4 event (with CD4 < 200 cells/mm3 and viral load (VL) > 400 copies/ml)				
		•	nt baseline or below, or CD4 < 200 3 (with VL > 400 copies/ml)		
	The trial aims to determine wheth containing regimen, the use of:	ner, in patients failing a	first-line NRTI and NNRTI-		

Update:	 bPI plus raltegravir (an integrase inhibitor) is superior to standard of care (bPI plus 2 new NRTIs) in achieving good HIV disease control at 96 weeks after randomisation. bPI monotherapy is non-inferior to standard of care in achieving good HIV disease control at 96 weeks after randomisation The study closed to accrual in April 2011. The majority of study participants are now on their week 80 study follow up. Two participants have since died and one withdrew consent. 				
	The other 49 active participants continue to do well.				
Project Name:	Enhancing Infant Feeding Options for HIV Infected Mothers				
Investigator(s):	Wools-Kaloustian, K Nyandiko, W. Bucher, S. Musick, B. Nyunya, B. Yiannoutsos, C.				
Start Date:	1/10/2006 End Date: 12/1/2012				
Sponsors:	Indiana University Center for AIDS Research Direct Cost (USD): \$20,000				
Site(s):	Burnt Forest Chulaimbo				
Project Description:	The purpose of this study is to determine if questionnaire administered within the clinic can be used to help decide which HIV- infected women should be encouraged to breastfeed and which should be educated about formula feeding their infants. In addition this study will help us to understand why some women choose to mix breast feeding with other types of foods.				
Update:	Not Reported				
Project Name:	Enhancing Training for Implement	ation Research in Chro	nic Disease: CITE/Kenya		
Investigator(s):	Inui, T. Ayuo, P. Siika, A. Litzelman, D.				
Start Date:	10/1/2012	End Date:	9/30/2016		
Sponsors:	NIH (Fogarty)	Direct Cost (USD):	\$862,970		
Site(s):	MTRH				
		· · · · · · · · · · · · · · · · · · ·			

Project Description:	An innovative clinical and implementation research training program for Kenyan investigators, one built on the foundation of the highly successful and mature clinical and implementation research core curriculum for young investigators within our IUSM CTSI, will be developed. This program will attract graduate trainees nominated by faculty at Moi					
		University schools of medicine, public health, dentistry, nursing, and possibly young faculty from health-related behavioral and social science programs at Moi.				
	t-based investigators from the ad his 5 co-directors of the e the core curriculum will be research in an implementation entorship panel populated by Moi chronic disease of importance to contribute to the improvement of medical and psycho-social thin the MOH delivery system.					
	The 'laboratory' for this research of training program will build on the institutional research foundation at Health infrastructure. This program knowledge and skills in health systicapacity to promote continuous in acquire leadership and management chronic disease control programs. health professionals to serve as effective experiences are evolving system of care.	successful AMPATH mualready in place, suppor m's graduate training watems and implementation provement of health cent skills needed to devare	Ilti-disciplinary and multi- ted by AMPATH's remarkable e- ill enable Kenyans to acquire on research, enhance their are, inform health policy, and elop, manage and improve s proposal is to prepare Moi			
Update:	The first 2 fellows for the CITE/Kenya training program were identified in November 2012 and are expected to matriculate in CITE coursework in Indianapolis in January 2013.					
Project Name:	Evaluating Handheld Clinical Decis of Reproductive and Pediatric Hea		prove Community-Based Delivery			
Investigator(s):	Christoffersen-Deb, A. Chemwolo, B. Fazen, L. Ruhl, L. Songok, J.					
Start Date:	12/1/2011	End Date:	1/31/2013			
Sponsors:	Grand Challenges Canada	Direct Cost (USD):	\$97,360.60			
Site(s):	Mosoriot					
Project Description:	The primary aim is to evaluate the randomized-controlled trial amon over a 4-month enrollment period	g 89 community health	workers (CHWs) in Kosirai district			

	Encounter Form and interfacing with AMPATH's electronic medical record system, we will identify and categorize women according to well-defined antenatal risk criteria and deliver patient-specific 'Smart Forms' to each pregnant woman served by enrolled CHWs. This research has four objectives:			
	Evaluate comparatively the effectiveness of handheld CDS to improve community- based health service delivery			
	 Evaluate the effectiveness of incorporating patient-specific multimedia Information, Education and Communication (IEC) materials into Smart Forms for generating behavior change among clients 			
	3) Determine the cost-effectiveness of a CDS Smart Forms system employed by CHWs and			
	4) Assess qualitatively the process of implementation of the Smart Forms system, including the technical specifications, human capacity requirements, and acceptability among providers and clients.			
Update:	Focus group discussions have been held and all CHWs have been trained and equiped with Android phones.			
Project Name:	Evaluation of A Comprehe Therapy (CAMP study)	nsive Strategy	to Measure Pedi	atric Adherence to Antiretroviral
Investigator(s):	Vreeman, R. Nyandiko, W. Inui, T. Wanzhu, T. Ayaya, S. Downs, S. Carroll, A. Tierney, W. Marrero, D. Blaschke, T. Arpadi, S. Bell, D.			
Start Date:	9/11/2009	End [Date:	2/28/2014
Sponsors:	National Institute of Ment Health (NIH-NIMH) and USAID/PEPFAR	al Direc	t Cost (USD):	\$1,336,011
Site(s):	MTRH Turbo Webuye Hospital Kitale			
Project	The primary objective of this study is to develop and test a reliable, valid instrument to			

Description:

measure pediatric ART adherence for children ages 0 to 14 years in western Kenya and to evaluate which administration strategy yields the most accurate information about children's ART adherence. We will pursue the following four specific aims:

- Aim 1: Develop a reliable, valid comprehensive pediatric ART adherence measurement questionnaire (CAMP - Comprehensive ART Measure for Pediatrics);
- Aim 2: Develop a reliable, valid, short-form version of the pediatric ART adherence measurement tool (SF-CAMP) for use as an adherence screening measure in busy clinical care environments;
- Aim 3: Evaluate the field- readiness, implementation feasibility, and clinical utility of CAMP and SF-CAMP within the AMPATH HIV clinical care system in western Kenya; and
- Aim 4: Evaluate the reliability and validity of this measurement tool in a clinic-based care setting compared to a home-based care setting.

Update:

Validation of Adherence Measures (CAMP Phases 1 and 2):

Phase 1

A battery of ART adherence measurement items were compiled for testing in Kenya from both literature review and formative qualitative work. Items were compiled, translated into Kiswahili, and adapted to increase face validity through cognitive interviews with pediatric caregivers and HIV-infected children ages 13-18 years. The interviews were transcribed and coded, with data for each measurement item summarized qualitatively and quantitatively. A testing report with recommendations for item adaptation was created and used to modify the adherence measurement items. A manuscript describing the findings of the cognitive interviews on adherence measurement items is now in press at the International Journal of Behavioral Medicine.

Phase 2

The clinical research phase of the project assessing the reliability and validity of the pediatric ART adherence measurement items for HIV-infected children in Kenya was completed. A total of 211 participants were enrolled with 200 HIV-infected children on ART completing six months of comprehensive monthly adherence assessments, MEMS® monitoring of dose timing, plasma drug concentrations, and clinical follow-up including CD4 counts. Data analyses to finalize a validated, comprehensive adherence measurement questionnaire (the CAMP questionnaire) are almost complete. Extraction of questionnaire items to test as a short form (SF-CAMP), to evaluate as per Specific Aim 2 in a cohort of 100 children is ongoing.

Phase 3

In the first quarter, Phase 3 of CAMP will be launched. During this phasethe validity of a short-form of the adherence assessment tool will be assessed in a sample of 100 children. Comparison of Home-Based and Clinic-Based Adherence Measurement: (Phases 4&5, PEPFAR PHE Funding): These research activities examine home- vs. clinic-based strategies of adherence measurement yield in this setting. We are assessing whether administering the comprehensive adherence assessment items in a home setting yields more reliable or

valid data than the clinic-based assessments using the same questionnaire items. Phase 4 The feasibility of these measurement strategies were assessed, enrolling 41 children from the Turbo and MTRH clinics and ultimately assessing 40 with either home- or clinic-based evaluations. Phase 5 Phase 5 was successfully implemented over the past 6 months and focused on activities to eliminate longitudinal follow-up. Comprehensive pediatric adherence assessments were conducted at four AMPATH clinical sites: MTRH, Turbo, Webuye, and Kitale. A total of 405 participants were enrolled in the MTRH, Webuye and Turbo and Kitale sites, of which 302 were randomized to clinic assessments and 105 to the home and clinic group. Only 4 participants have withdrawn from the study. Adherence assessments have been completed for 387 children. Data entry and subsequent analysis of the home- vs. clinic-based adherence assessments will begin in January of 2013. **Project Name:** Feasibility Intervention Trial of Two Types of Improved Cook Stoves in Three Developing Countries Investigator(s): Miranda, J. Menya, D. Checkley, W. Carter, J. Ogaro, F. Diero, L. Mwangi, A. **End Date: Start Date:** 7/1/2011 06/30/2012 Direct Cost (USD): **Sponsors:** \$76,239 **NHLBI** Site(s): Ndanai Sub-Location **Burnt Forest Project** This is a multi-center community-based feasibility trial in which improved cook stoves with **Description:** a chimney are installed in 40 rural households of women aged 20 to 49 years at each of the three sites. All households will have a baseline observational period of 4 months in which outcome, environmental, and behavioral data will be collected longitudinally. Thereafter, 20 households will be randomly assigned to receive a commercially-available, improved cook stove with a chimney or a locally-constructed improved cook stove with a chimney. Behavioral, compliance, outcome and exposure data will be collected longitudinally for 4 months. Exposure assessments will include particulate matter and carbon monoxide. Respiratory outcome assessment will include spirometry, carboxyhemoglobin, exhaled nitric oxide and diffusing capacity of the lung for carbon monoxide. At the end of 4 month period, households that received the Envirofit improved cook stoves will have their cook stoves switched with the locally-constructed improved cook stoves and vice versa, and all households will be followed for another 4 months. At the end of the year, all participants

	will be asked which cook stove they prefer and will be asked provide information on preferences, practices, and use patterns that influenced their final choice.		
Update:	Enrollment began on December 10, 2012, and . 32 households have been enrolled to date. There are 14 pending enrollments .		
Project Name:	Health Facility Incentives to Impro	ove Adherence to Malar	ia Diagnostic Test Results
Investigator(s):	O'Meara, W. Menya, D. Armstrong, J. Manji, I.		
Start Date:	4/1/2012	End Date:	3/31/2014
Sponsors:	NIH	Direct Cost (USD):	\$250,000
Site(s):	Not Reported		
Project Description:	Global investments in controlling malaria have led to some exciting reductions in the burden of malaria. In some areas, malaria-related deaths have dropped by more than 90 percent. As malaria transmission declines, a greater fraction of pediatric fevers are from other causes. However, these fevers continue to be treated as malaria, often despite the availability of diagnostic testing. In a typical rural health facility in Kenya, more than 90 percent of febrile patients are prescribed an antimalarial when no diagnostic tests are available. Even when microscopy or rapid diagnostic tests (RDTs) are available, between 50-80 percent of patients with a negative test are nonetheless prescribed antimalarials. Inappropriately treated fevers in children can lead to serious consequences for the patient and can accelerate the spread of drug resistance. In addition to the risk to patients, overuse of antimalarials also puts a financial strain on the government health system. This project aims to test an innovative, sustainable financial incentive designed to reduce the number of non-malarial fevers that are treated inappropriately with antimalarial drugs. This study will test a financial incentive targeted at the health facility to determine if it improves adherence to diagnostic results and clinical protocols. Eighteen rural health facilities in western Kenya will be enrolled and randomly allocated to one of two arms. We will compare the effectiveness of clinical and technical training in diagnosis of malaria alone (Arm 1) to training plus financial incentives linked to prescription practices (Arm 2) in improving diagnosis and treatment of malaria and non-malaria fevers. The practice of prescribing antimalarials to patients with a negative diagnostic will be compared between facilities with and without the incentive structure. Secondary outcomes will include sensitivity and specificity of routine microscopy at health centers, use of alternative treatments for slide negative fevers, and frequency of stock-outs of Malaria C		
Update:	1. The Study was launched and randomization done in two phases; one for the facilities in the Western Province region and another for the facilities in the Rift-Valley Province region. In both, representatives from the Division of Malaria Control in Kenya were in		

	 attendance. Baseline data has been collected. Data collection started and is ongoing on a monthly basis. The first quarter for the financial incentives calculation for the facilities in the Western Province ended in December 2012. 		
Project Name:	Improving Diabetes Management and Cardiovascular Risk Factors Through Diabetes Peer Group Education In Western Kenya		
Investigator(s):	Bloomfield, G. Kamano, J. Nyabundi, J. Pastakia, S. Park, P. Wambui, C.		
Start Date:	2/13/2013	End Date:	10/15/2013
Sponsors:	Fogarty - NIH, NHLBI - NIH, Duke Global Health Institute	Direct Cost (USD):	\$15,000
Site(s):	MTRH Ziwa		
Project Description:	This project will seek to assess the hypothesis thatdiabetes education through peer support groups in western Kenya will be feasible and significantly improve diabetes knowledge-base and diabetes control in comparison to routine care.		
Update:	Not Reported		
Project Name:	Increasing Animal Source Foods in	Diets of HIV-Infected K	enyan Women and their Children
Investigator(s):	Ernst, J. Ettyang, G. Neumann, C. Nyandiko, W. Siika, A.		
Start Date:	10/1/2006	End Date:	7/31/2013
Sponsors:	NIH	Direct Cost (USD):	\$2,943,346
Site(s):	MTRH Turbo Soy Mautuma		
Project Description:	The study is a three arm randomized, blinded and controlled nutrition intervention trial that tests the effect of iso-caloric biscuit supplements of meat, soy or wheat protein added		

	to the diets of drug naive HIV-infected Kenyan women and their children-8 years and younger and who live in the Turbo environs and who receive care at one of the AMPATH clinics (Turbo, Soy, Mautuma, and MTRH). The women are of reproductive age and at enrollment WHO stage I or II. The biscuits are provided five days a week (Monday to Friday) to subject mother and child, using directly observed therapy (DOT) for 18 months. The outcome variables include estimates of lean and fat mass, quality of life, strength measures, biochemical indicators of nutritional status, indicators of immune function, measures of inflammation, nutrient intake, food security, measures of growth and development in children and activities of daily living.		
Update:	Data collection was completed June 2012. Project activities included data entry and data cleaning. A no cost extension was granted until July 31, 2013.		
Project Name:	Indiana University-Moi University	Academic Research Eth	ics Partnership (IU-Moi AREP)
Investigator(s):	Meslin, E. Ayuku, D. Were, E.		
Start Date:	5/31/2012	End Date:	5/31/2017
Sponsors:	NIH – Fogarty International Center	Direct Cost (USD):	\$1,250,000
Site(s):	MTRH Moi University		
Project Description:	The IU-Moi AREP is funded for five years with a \$1.25 million grant from the Fogarty International Center at the National Institutes of Health to establish a new research ethics training partnership with colleagues at Moi University in Eldoret, Kenya. IU-Moi AREP is a curriculum development and training initiative that builds on longlasting partnerships and collaborations in East Africa. IU-Moi AREP has developed two Masters' degree programs:one at Indiana University-Purdue University Indianapolis and one at Moi University in Eldoret, Kenya. These graduate programs have common overlapping components, joint advisory committes, shared dissemination plans and harmonized evaluation strategies. Both programs include a curriculum involving required core courses, electives and a practicum experience, part of which is taken at the counterpart university. Besides, each IU-Moi AREP partner convenes an annual Teaching Skills in International Research Ethics(TaSkR) workshop to provide training to approximately 40 faculty and students each year.		
Update:	Of the ten students enrolled in the Moi University Master of Science in International Health Ethics program academic year 2011-12, only six students attended the Indy Practicum due to budgetary constraints. The remaining four students undertook their practicum in selected reputable organizations within Kenya. Prior to their travel, the students were given practicum orientation lessons by Dr. Rose Ayikukwei and previous practicum students.		
	Six students travelled to Indiana University on September 14,2012, to participate in a six		

Semi-Annual Report | July – December 2012

week practicum experience that included lectures focused on the NIH specified topics in the responsible conduct of research: conflict of interest; research with animals; history of research with human subjects; policies concerning research with human subjects; research misconduct policies; safe laboratory practices; mentor/mentee relationships; research with human biological material; scientists as responsible members of the society; data acquisition/management; responsible authorships to publications; peer review and interdisciplinary approaches to contemporary issues in bioethics. The students attended additional lecturers offered in the following IUPUI courses: GRAD-G 504 Introduction to Research Ethics; PHIL-P 547 Foundations of Bioethics. They also completed a two day coordinator education program and spent a day meeting with researcher and staff bioethicists at Eli Lilly & Company.

In addition to group activities listed above, each student was assigned an IUPUI faculty member as a mentor for their capstone research project. Students met weekly with their mentors and presented a work in progress report during the last week of the practicum receiving constructive feedback from their fellows and faculty members. The practicum students, along with the PI Eric Meslin and Co-PIs David Ayuku and Tom Inui actively participated in the Indiana Global Health Research Conference Center during the period October 3-5, 2012. The conference brought together faculty from all three researchintensive Indiana University and Regenstrief investigators. At the conference Dr. Meslin presented the keynote paper for this focus entitled Taking Stock of the Moral Foundations of International Health Research Ethics: Pragmatic Lessons for the IU-Moi Academic Research Ethics Partnership.'

AREP trainees developed an abstract for research focusing on evaluating disruptions of care and the broader consequences of labor actions in health.

The Moi Msc. International Research Ethics program has enrolled twelve students who are currently in their first semester: Allan Sudoi, Akuto Z. Chepoisho, Kimosop S. Kiprotich, Gogo M. Onyango, Penina Biwott, Alfred Kirui, Felishana Cherop, Koskei Alfred, Lodea K. Henry, Christine Ohanga, Wambui A. Sheila and Mwangi W. Elizabeth. The topic based three weeks "short course" at Moi was not held within this period due to budgetary redistribution to allow more students to attend practicum in Indianapolis but future short courses will continue as planned.

Project Name:	International epidemiologic Databases to Evaluate AIDS (IeDEA)	
	Wools-Kaloustian, K. Ayaya, S. Yiannoutsos, C. Somi, R. G. Swai, R. Ngonyani, K. Lyamuya, R. Lugina, E. Sidle, J. Braitstein, P.	

	Martin, J. Bangsberg, D. Glidden, D. Deeks, S. Hunt, P. Diero, L. Nash, D. Abrams, E. Batya, E.			
Start Date:	6/20/2006	End Date:	7/31/2016	
Sponsors:	NIH	Direct Cost (USD):	\$2,533,231	
Site(s):	All Sites			
Project Description:	The International epidemiologic Databases to Evaluate AIDS Initiative (IeDEA) will establish international regional centers for the collection and harmonization of data and the establishment of an international research consortium to address unique and evolving research questions in HIV/AIDS currently unanswerable by single cohorts.			
	High quality data is being collected by researchers throughout the world. The IeDEAinitiative provides a means to establish and implement methodology to effectively pool the collected data and thus providing a cost effective means of generating large data sets to address the high priority research questions. Combination of data collected under various protocols is frequently very difficult and not as efficient as the collection of predetermined and standardized data elements. By developing a pro-active mechanism for the collection of key variables, this initiative will enhance the quality cost effectiveness and speed of HIV/AIDS research.			
Update:	A total of 77,799 study subjects have been added to the IeDEA database since the study began in September 2012. Of those subjects included in the database, 50,907 are female and 26892 are male.			
	IeDEA East Africa continues to have monthly operations conference calls and anexecutive teamconference call every two months. Research IeDEA East Africa co-investigators are actively involved in both international and local working groups. The international pharmaco-vigilance committee is co-chaired by Dr. Braitstein and the IeDEA pediatric working group is lead by Prof. Ayaya and Dr. Wool-Kaloustian. Dr. Diero and Dr. Siika are actively involved with the IeDEA TB working group. Dr. Martin leads the IeDEA oncology working group and Ms. Musick is actively involved in the IeDEA data harmonization working group.			
	Ongoing leDEA studies:			
	1. IeDEA East Africa Regiona	1. IeDEA East Africa Regional Consortium		
	 IeDEA for Data Extraction and Analysis for the Initial Projects (Version 1.0.25 October 2007) 			
	3. National Cancer Institute Supplement to East Africa leDEA: Improving Kaposi's Sarcoma and Lymphoma Diagnostics as well as Assessing Sarcoma Incidence in			

	Western Kenya		
	 Engagement in Care Among HIV-Infected Patients in Resource limited Settings' A supplement to IeDEA East Africa (Data analysis stage) 		
Project Name:	IU Health Cardiovascular Research	n Biobanking Project	
Investigator(s):	Inui, T. Kimaiyo, S. Bloomfield, G.		
Start Date:	4/30/2012	End Date:	4/28/2017
Sponsors:	IU Health	Direct Cost (USD):	\$1,060,000
Site(s):	MTRH		
Project Description:			
Update:	The atrial fibrillation study is the first of several that may receive support from this IU granting mechanism. This first protocol is under development for submission to the COE and Adult Medicine Working Group for peer review and subsequently to institutional review boards at Moi, Duke, and IU.		
Project Name:	Levels of Breast Cancer Awareness	s Among Women Volun	teering for Breast Cancer

	Screening in Western Kenya		
Investigator(s):	Inui, T. Busakhala, N. Sirwa, C. Naanyu, V. Wachira, J. Njiru, E. Strother, M. Mwangi, A. Loehrer, P.		
Start Date:	10/1/2011	End Date:	7/1/2014
Sponsors:	Walther Cancer Foundation	Direct Cost (USD):	\$1,200,000
Site(s):	Mosoriot Turbo Mt. Elgon		
Project Description:	The general purpose of this study is to measure women's knowledge on breast cancer. In addition, the study will determine how perceptions (attitudes) affect the decisions women make about going to be screened for breast cancer. The study will also determine the presence of factors that increase a Woman's chances of developing breast cancer. In addition, the study will find out whether women with breast cancer are treated according to standard guidelines. In order to achieve these objectives, we will administer questionnaires to study participants, do fine needle aspiration cytology and get stain breast specimens after surgery for estrogen and progesterone receptors. We will also follow up these participants for one year		
Update:	Formal IREC approval was granted on September 28, 2012. Breast screenings were conducted at three sites and in the process, a total of 588 participants were recruited from Mosoriot, Turbo and Kapsokwony, Mount Elgon and a Redcap database is being designed for data entry.		
Project Name:	Modified Directly Observed Antiretroviral Therapy (M-DART): An Intensive, Nurse-Directed, Home-Centered, Treatment Strategy to Reduce Mortality and Loss to Follow-Up in High-Risk HIV-Infected Patients Initiating Antiretroviral Therapy		
	Siika, A. Wools-Kaloustian, K. Murage, T. Thirumurthy, H. Goodrich, S.		
Investigator(s):	Wools-Kaloustian, K. Murage, T. Thirumurthy, H.		
Investigator(s): Start Date:	Wools-Kaloustian, K. Murage, T. Thirumurthy, H.	End Date:	12/31/2013
	Wools-Kaloustian, K. Murage, T. Thirumurthy, H. Goodrich, S.	End Date: Direct Cost (USD):	12/31/2013 \$825,502

Project Description:	Kitale Busia Port Victoria Khunyangu The M-DART study is a randomized clinical trial comparing the effectiveness of a home-based modified directly observed antiretroviral (ART) treatment strategy to clinic-based standard of care in patients with HIV/AIDS in Port Victoria and Khunyangu, Kenya. The aim is to reduce both mortality and the number of patients lost to follow-up after ART therapy is initiated. In addition to these important objective outcomes, it also seeks to determine if M-DART can contribute to an increased quality of life for patients and help to diminish HIV			
Update:	related stigma. Due to study expansion to new sit number of participants being follo December 1,2012, 465 participant	owed-up. The new staff	undertook the HSP test. As of	
Project Name:	National Cancer Institute Supplem Lymphoma Diagnostics, and Asses			
Investigator(s):	Wools-Kaloustian, K. Diero, L. Busakhala, N. Jeff, M. Toby, M. Loehrer, P. Strother, M. Czader, M. Leboit, P. McCalmont, T. Asirwa, C. Yiannoutsos, C.			
Start Date:	8/1/2008	End Date:	7/31/2016	
Sponsors:	NIH	Direct Cost (USD):	Not Reported	
Site(s):	All Sites			
Project Description:	The toxicity and potential side effects of therapy for malignancy justify a standard of care in cancer medicine of tissue-biopsy. Further, an accurate assessment of the epidemiology of HIV-related malignancy requires reliable pathologic diagnosis. This study will help validate local pathology for the diagnosis of Kaposi Sarcoma (KS). The limited resources available to local pathology mandate that most diagnoses are made via H&E staining and immunohistochemistry which are techniques, like many pathology diagnostic tools, open to inter-observer variability in interpretation. Thus the experience of the pathologist is a major determinant in diagnostic accuracy. Quality assurance efforts and continuing evaluation of diagnostic skills are routine practices			

	in the United States to help ensure ongoing reproducibility between pathologists. The present effort will facilitate similar ongoing quality checks and thus increase the reliability of a biopsy-based diagnosis of KS and lymphoma at the selected sites.				
Update:	continue to visist theoncology site update, clinicians have been train	Punch Biopsies are continue to be done at the AMPATH oncology clinic. Visiting clinicians continue to visist theoncology sites at Busia, Chulaimbo, Kitale, and Webuye. As of this update, clinicians have been trained at Nambale, Busia, and Bumala A. As of November 2012, the study has completed 1,181 biopsies – 1,033 from AMPATH sites and 148 from Non-AMPATH sites.			
Project Name:	Patient-Centered Disclosure Inter- Disclose Information and Talk abo				
Investigator(s):	Vreeman, R. Nyandiko, W. Marete, I. Inui, T. Mwangi, A. Hogan, J.				
Start Date:	9/1/2012	End Date:	9/1/2016		
Sponsors:	NIH	Direct Cost (USD):	\$1,886,804		
Site(s):	MTRH Mosoriot Turbo Burnt Forest Chulaimbo Webuye Hospital Kitale Khunyangu				
Project Description:	The purpose of this study is to assess the effect of a patient- and family-centered intervention guiding disclosure to HIV-infected Kenyan children using a randomized trial comparing the intervention to routine care. The primary endpoint will be probability of disclosure among children, with secondary endpoints of adherence, clinical outcomes, psychological distress and social outcomes.				
	Phase One, which will last 6 months, focuses on cultural adaptation of the intervention materials through intensive patient participation, including focus groups and cognitive interviewing, selecting narrative components, and training dedicated disclosure counselors. Phase Two consists of a randomized, controlled trial conducted in eight pediatric HIV clinics with comprehensive patient assessments every 6 months for 2 years				
Update:	and holding focus group discussio	IRB and IREC approval for the project activities was secured. The study began by organizing and holding focus group discussions with parents, caregivers, and adolescents at three sites. The qualitative analysis of the eleven focus group discussions has begun. Staff were			

	interviewed and hired and an office was opened. Initial development of intervention		
	materials was begun. The study hopes to begin recruitment in April 2013.		
Due is at Name			
Project Name:	Patient-Reported Outcomes of Ca	ncer Care in Eldoret, Ke	nya
Investigator(s):	Hess, L. Naanyu, V. Asirwa, C.		
Start Date:	3/4/2010	End Date:	4/1/2013
Sponsors:	Walther FoundationIU International Development Fund	Direct Cost (USD):	\$23,310
Site(s):	MTRH Moi University IUPUI		
Project Description:	The proposed study is designed to validate and subsequently implement a standardized questionnaire to obtain patient perspectives of their physical and psychosocial well-being (quality of life) during and following cancer treatment. The primary objective of this research is to validate an instrument that can be used to obtain knowledge about the quality of life of cancer patients in Eldoret, Kenya, which will then guide future strategies to improve comprehensive cancer patient care. The specific aims are to determine the validity of the Kiswahili version of the Functional Assessment of Cancer Therapy General scale (FACT-G) by: (1) conducting focus groups of cancer patients in Eldoret to explore the constructs underlying the translation of the FACT-G instrument; (2) revising the translation wording as needed prior to implementation; and (3) administering the final version of the FACT-G along with the previously-validated Patient Health Questionnaire Nine Symptom Checklist (PHQ-9) longitudinally in this population. The FACT-G has been validated in more than 40 languages and is used worldwide to assess cancer therapy, but has yet to be validated in Kenya.		
Update:	The focus group was completed. The validation project is completed. Data QA/QC and analysis is ongoing.		
Project Name:	Prevalence and Impact of Alcohol	Use in Patients Enrollin	g in HIV Care
Investigator(s):	Wools-Kaloustian, K. Diero, L. Hahn, J. Kulzer, J. Goodrich, S. Bwana, B. Oyaro, P. Aluda, M.		
Start Date:	3/1/2013	End Date:	3/1/2014

Sponsors:	NIH-NIDA	Direct Cost (USD):	Not Reported
Site(s):	MTRH		
Project Description:	Though drug use (including inhalant use) is an increasing problem in East Africa, alcohol remains the most common substance of abuse in our populations. There are limited data on the impact of alcohol use on immune reconstitution, adherence and retention in care within sub-Saharan African HIV- infected populations. Given the high rates of food insecurity and resulting malnutrition, the impact of alcohol use on clinical outcomes in HIV-infected individuals in East Africa may be more profound than that seen in North America. Further exploration of the prevalence of and impact of alcohol use on the outcomes of HIV-infected individuals in sub-Saharan Africa is needed in order to inform HIV-care and treatment programs and assess the need for systems adaptation targeted towards identifying and intervening in individuals with alcohol addiction issues.		
Update:	A protocol has been submitted to	IREC for approval.	
Project Name:	Quinolone Use by Patients with Tu Kenya	uberculosis in a Large H	V Treatment Program in Western
Investigator(s):	Gardner, A. Siika, A. Carter, J. Pastakia, S. Diero, L. Cohen, T. Musick, B. Simiyu, G. Koech, J.		
Start Date:	01/12/2009	End Date:	12/01/2012
Sponsors:	Not Reported	Direct Cost (USD):	Unfunded
Site(s):	MTRH		
Project Description:	Retrospective analysis of pharmacy and AMRS data to characterize the extent and indications for use of fluoroquinolones among patients in AMPATH and understand the implications for TB control.		
Update:	Manuscript in progress.		
Project Name:	REACH Informatics Center of Excellence		
Investigator(s):	Biondich, P. Siika, A. Braitstein, P. Diero, L. Sidle, J.		

	Downs, S. Hogan, J. Kroenke, K. Mamlin, B. Meslin, E. Nyandiko, W. O'Meara, W. Palakal, M. Rotich, J.		
	Shen, C. Vreeman, R. Were, M.		
	Wools-Kaloustian, K.		
Start Date:	06/01/2009	End Date:	06/30/2014
Sponsors:	NIH-Fogarty International Center	Direct Cost (USD):	\$945,464
Site(s):	MTRH		
Project Description:	The project is a collaboration between leadership of the Regenstrief Inst		Iniversities and the global
	Teaching and Referral Ho technology to enhance re outcomes. 2. Support the training of Eaimplementation, mainten	spital to implement and search and improve heads search and improve heads search and improve heads search and use searce, evolution and use	alth care quality, efficiency and
Update:	The first fellowship student completed a masters degree in health informatics. The second and thirdfellowship students started their second year of research work in Eldoret. Their research is focused on patient matching, pediatric immunization and clinical decisions support. The fourth fellow started their first year of study at Indiana University in July 2012.		
	The following short courseswere	•	
	 Forms design training was held with 10 participants from AMPATH and KEMRI CDC, Kenya (July 9-13, 2012) 		
	2. EMR Master Orientation	Workshop was held in N	akuru (July 29 – August 2, 2012)
	3. Kenya EMR training of tra	iners in Nakuru (Septen	nber 10-14, 2012)
	,		a (September 24 – 25, 2012)
			mega (October 10-11, 2012)
	6. Kenya EMR Health Manag 2012)	gers Orientation Rift Val	ley (October 31 – November 1,
	7. Online Redcap trainings for	or AMPATH research sta	off (November 9, 16,23 and

	December 7, 2012)			
Project Name:	Reducing Early Mortality and Early (REMEMBER)	y Morbidity by Empiric 1	Fuberculosis Treatment Regimens	
Investigator(s):	Siika, A. Lagat, D.			
Start Date:	9/26/2012	End Date:	12/31/2014	
Sponsors:	NIAID, Gilead Sciences Inc., and Merck & Co., Inc.	Direct Cost (USD):	Not Reported	
Site(s):	MTRH			
Project Description:	In this randomized, open-label strategy trial, participants from RLS who present with advanced HIV disease and will be initiating ART but are without evidence of probable or confirmed TB according to criteria in the current ACTG diagnosis appendix (which will be identified on the case report form [CRF]) will be randomized 1:1 to one of two strategy arms: empiric TB treatment (public health approach, Arm A) or local standard of care (individualized TB treatment approach, Arm B) at study entry. At the 48 week visit, participants will transition to a 48-week follow-up period of non-study-provided treatment and care, with total study duration being 96 weeks. The primary endpoint is survival status at 24 weeks post randomization. AIDS progression, virologic and immunologic response, development of plasma HIV drug resistance, resistance to TB drugs, safety and tolerability of ART and TB drugs, and adherence to ART and TB drugs will also be evaluated as will the relative cost-effectiveness of the two strategies.			
Update:	A total of 16 participants have been results are pending.	A total of 16 participants have been enrolled. Two are in the screening phase and their results are pending.		
Project Name:	Renal Study			
Investigator(s):	Wyatt, C. Owino Ong'or, W. Abuya, J. Wools-Kaloustian, K.			
Start Date:	12/10/2007	End Date:	12/10/2013	
Sponsors:	Gilead Foundation	Direct Cost (USD):	\$165,000	
Site(s):	MTRH			
Project Description:	This study is comparing the performance of equations to estimate kidney functions to a direct measure of kidney function based on the plasma disappearance of iohexol in HIV-infected adults.			
Update:	The study is closed to enrollment	The study is closed to enrollment and followup and remains open for data analysis only.		
<u> </u>				

	The primary publication is in submission. We are seeking funds to measure an additional marker of kidney function, cystatin C, in banked serum specimens.			
	marker of kidney function, cystati	n C, in banked serum sp	ecimens.	
Project Name:	Screening for Cervical Cancer in H	IV positive Kenyan wom	nen	
Investigator(s):	Dainty, E. Omenge, O. Cu-Uvin, S. Walmer, D.			
Start Date:	10/11/2011	End Date:	5/1/2013	
Sponsors:	NIH (Fogarty International Center; Duke Center for AIDS Research)	Direct Cost (USD):	\$37,000	
Site(s):	MTRH Mosoriot Turbo			
Project Description:	for HPV genotyping from women	This project involves the collection of demographic data as well as cervical swab specimens for HPV genotyping from women with HIV who receive cervical cancer screening through the AMPATH supported program.		
Update:	Data collected, participant recruit data analysis and manuscript prep		012. The study is currently in the	
Project Name:	Survival among HIV-infected Patie Era of Potent Antiretroviral Thera	·	ma in sub-Saharan Africa in the	
Investigator(s):	Wools-Kaloustian, K. Busakhala, N. Martin, J.			
Start Date:	4/1/2013	End Date:	4/1/2014	
Sponsors:	NIH-NCI	Direct Cost (USD):	Not Reported	
Site(s):	All Sites			
Project Description:	In sub-Saharan Africa, the intersection between endemic human herpesvirus 8 and epidemic HIV infections has resulted in Kaposi's sarcoma (KS) becoming one of the most commonly reported malignancies amongst all adults in the region. Not only is incidence of KS high but the clinical manifestations are substantial as well. Specifically, in the era prior to potent antiretroviral therapy (ART), cumulative one year mortality after HIV-associated KS diagnosis was as high as 60 to 70 percent. Fortunately, based on data following the advent of ART in resource-rich settings, there is now hope for improved KS survival in sub-Saharan Africa now that ART is becoming available. The many differences, however, between resource-rich and resource-limited			

	settings particularly in availability of chemotherapy and supportive cancer care make extrapolation from resource-rich settings to Africa problematic. While early reports from sub-Saharan Africa in the ART era do show what appear to be improvements in KS survival compared to historical data, these studies are clouded by either substantial losses to follow-up, many patients not actually on ART, small sample sizes and hence imprecise estimates, or being conducted in difficult-to-generalize trial settings. In particular, the studies conducted in the most representative settings also suffer from between 15 to 37 percent lost to follow-up. Because of the obvious concern that these lost may be dead, the nominal survival estimates are nearly uninterruptable. Thus, while ART is now being administered to over 5 million HIV-infected patients in sub-Saharan Africa, we do not yet know its impact on the survival of the most common malignancy of the HIV epidemic. To address these limitations, the overarching objective of this study is to definitively study survival after KS diagnosis in Africa in the contemporary ART era. Our specific aims are to: 1. Determine survival after a diagnosis of HIV-associated KS in the ART era in sub-Saharan Africa; 2. Assess among HIV-infected individuals who initiate ART in Sub-Saharan Africa, if presence of KS is associated with excess mortality compared to other HIV-infected patients with concurrent opportunistic infections or equivalent CD4+T cell counts; and 3. Evaluate the pace and determinants of initiation of ART after a diagnosis of HIV-		
Update:	IREC application is under develop	ment.	
Project Name:	The Implementation of a Neonata Hospital of Kenya	Il Nurse Training Program	m at the Riley Mother Baby
Investigator(s):	Lemons, J. Gisore, P. Hawk, S. Songok, J. Trautman, M. Bucher, S.		
Start Date:	6/4/2012	End Date:	5/31/2013
Sponsors:	Indiana University School of Medicine, Department of Neonatal-Perinatal Medicine	Direct Cost (USD):	Not Reported
Site(s):	MTRH		
Project Description:	The goal of this study is to evaluate the effectiveness of a neonatal nurse training program in improving the knowledge, patient care practices and processes of nurses working in a neonatal intensive care unit in a resource limited setting. The primary outcome of this study is the impact of the Neonatal Nurse Training Program on nurse competency related		

	to three crucial domains of neona monitoring, and infection control)	_	ermoregulation, respiratory	
	The impact of the Neonatal Nurse Training Program on nursing competency will be measured in regards to both (1) knowledge (as evaluated by a multiple-choice questionnaire administered pre/post the training program) and (2) actual patient care practices (as assessed by pre/post training program observations by a trained evaluator in the nursery). Secondary outcomes will include evaluation of process changes related to documenting patient care, as well as outcomes such as NICU mortality rate and length of stay in the nursery. These outcomes will be evaluated primarily via pre/post training program retrospective chart review, and augmented by observational data.			
	We hypothesize that a neonatal nurse training program will significantly improve nurse competency and the quality of patient care as measured by improvement in knowledge, practices, processes and patient outcomes such as mortality. The results of this study will help validate the importance of nursing education and its effect on patient care in the resource limited setting, and if successful, will make an important contribution toward the improvement of nursing practices among staff at one of the largest and busiest referral NICUs in East Africa.			
Update:	Pre-intervention data collection be 2012. The education program too collection to be completed in Janu	ok place September 201		
Project Name:	The IU Simon Cancer Center (IUSC Care for the Developing World and			
Investigator(s):	Inui, T. Busakhala, N. Asirwa, C.			
Start Date:	7/1/2011	End Date:	6/30/2014	
Sponsors:	Walther Cancer Foundation	Direct Cost (USD):	\$1,200,000	
Site(s):	Mosoriot Turbo Kapsokwony			
Project Description:	Kenya, like much of the developing world, is rapidly undergoing an 'epidemiologic transition' from a health scene dominated by infectious diseases to one in which the major causes of death and disability are cancer and other chronic diseases. Under these circumstances, applying science to the management and control of cancer has become as relevant to Kenya as it is in the United States. Similarly, what is learned about the prevention and treatment of cancer in the developing world literally has direct relevance to care in the United States. Cancer care and attendant research in Kenya, whose population is the most genetically diverse in the world, will catalyze the discovery of new genes of importance to our fight against cancer, new genomic predictors of cancer, and new genetic variants that predict response to therapy.			

Recognizing both emerging threats to population health and potential for advancing care and science, the IU Simon Cancer Center (IUSCC) and the IU-Kenya AMPATH Program have been actively pursuing resources to respond. The focus of the partnership is to develop a sustainable and comprehensive academic clinical care program that will serve the citizens of western Kenya, and in the process, create a unique program of international collaboration for patients with, or at risk for, malignancies. The mission of the AMPATH Oncology Institute (AOI) is to be the premier cancer program in Sub-Saharan Africa, noted for excellence in cancer prevention, treatment and palliative care. AOI activities will directly contribute to advances in cancer care, accelerate discoveries in the biology and treatment of cancer, and provide support for the IU Simon Cancer Center's quest to become a federally designated Comprehensive Care Center. Naftali Busakhala will characterize the awareness, beliefs, attitudes and behaviors of women coming to AMPATH's clinician breast exam screening as volunteers, comparing these beliefs to those of a community-based sample of women. He will also characterize the yield of the AMPATH screening program, the kinds of cancers detected, and the quality of care achievable in Western Kenya at present, with comparison against an international standard of care. Chite Asirwa will similarly characterize the awareness, beliefs, attitudes and behaviors of a community-based sample of women, comparing their beliefs to those of their husbands, often a key influence on behavior in traditional societies. Taken together these two studies should reveal a great deal about how to influence women's behaviors and encourage participation in the only breast cancer screening program available presently - clinician examination. Both of these studies will use the BCAM (Breast Cancer Awareness Measure), a survey tool developed in Great Britain. We have worked carefully through the standard BCAM to sort questions into theoretically sound domains, using the Health Belief Model as a framework. Violet Naanyu will be conducting field testing and focus groups to do a culturally appropriate Kiswahili version. **Update:** These protocols were approved by IU IRB, IREC and Oncology Working Groups. In three community screening and surveys 588 women volunteers for screening completed BCAMs, and 737 community men and women completed BCAMs. The project is now in a data-entry phase. **Project Name:** The Prevalence of Markers of Atherosclerosis Among Adult Patients with Congestive Cardiac Investigator(s): Velasquez, E. Kimaiyo, S. Bloomfield, G. Carter, J. Maghasi, M. Akwanalo, C. Hogan, J.

Start Date:	5/24/2011	End Date:	6/30/2012
Sponsors:	NIH/NHLBI	Direct Cost (USD):	Not Reported
Site(s):	MTRH		
Project Description:	Using a case-control research design in a Kenyan population with heart failure, this project will describe the range of etiologies of heart failure within this population. This project will collect pilot data on the burden of atherosclerosis and malnutrition among patients with heart failure at Moi Teaching and Referral Hospital (MTRH) inpatient ward, primary care and cardiology clinics, through the collection of both echocardiographic and serologic studies coupled with clinical assessments; thereby informing hypotheses for larger prospective, regionally-relevant analyses in the future.		
Update:	Data collection was completed in	December 2012. Primar	y data analysis is ongoing.
Project Name:	The Prevalence of Rheumatic Hea	rt Disease in Western K	enya: an Echocardiographic Study
Investigator(s):	Corey, R. Kimaiyo, S. Holland, T. Koech, M.		
Start Date:	7/1/2010	End Date:	6/30/2012
Sponsors:	NIH—Fogarty International Center	Direct Cost (USD):	\$15,000
Site(s):	MTRH		
Project Description:	This was an echo-based study looking at prevalence of rheumatic heart disease (RHD) in Western Kenya by performing echocardiography in a representative hospital-based sample of 500 subjects. The central hypothesis is that if echocardiographic screening is conducted on this population, ages 5-30, more silent RHD will be found and a prevalence similar to that reported in the recent literature will be detected. The principal aim of this study is to investigate the prevalence of RHD, as determined by		
	transthoracic echocardiography, in patients (ages 5-30) hospitalized on the orthopedic and surgical wards		
	The intent is to more precisely define the burden of rheumatic heart disease in Western Kenya with the most definitive diagnostic modalities. Results from these investigations would be important in elucidating more inclusive screening criteria for patients at risk for rheumatic heart disease in the general population. More importantly, epidemiologic data derived from our investigations would be central to the development of any community-based primary and secondary prevention campaigns against group A streptococcal infection, acute rheumatic fever and rheumatic heart disease.		
Update:	Enrollment completed in June 2012 and the study closed. The echocardiograms are being over-read by our cardiologists, then the data will be analyzed and manuscript prepared.		

Pject Name: The relationship of Indoor Air Pollution (IAP) Exposure to Isolated Right Heart Failure (IRHF) estigator(s): Carter, J. Kimaiyo, S. Lagat, D. Sherman, C. Anstrom, K. Hogan, J. Diero, L. Int Date: 12/10/2010 End Date: 5/30/2012 Onsors: NIH/NHLBI Direct Cost (USD): Not Reported E(s): Several studies have shown that isolated right heart failure (IRHF) is more prominent in African women than in those living in resource rich nations. Its prognosis is thought to be worse among African women relative to similar patients from the richer economies given their general lack of access to health care and often late presentation of disease. Chronic Obstructive Pulmonary Disease (COPD) is the leading cause of IRHF in resource rich nations. While COPD remains the seventh leading cause of morbidity and mortality worldwide, it
Kimaiyo, S. Lagat, D. Sherman, C. Anstrom, K. Hogan, J. Diero, L. Int Date: 12/10/2010 End Date: 5/30/2012 Onsors: NIH/NHLBI Direct Cost (USD): Not Reported E(s): Kaptagat Several studies have shown that isolated right heart failure (IRHF) is more prominent in African women than in those living in resource rich nations. Its prognosis is thought to be worse among African women relative to similar patients from the richer economies given their general lack of access to health care and often late presentation of disease. Chronic Obstructive Pulmonary Disease (COPD) is the leading cause of IRHF in resource rich nations.
onsors: NIH/NHLBI Direct Cost (USD): Not Reported Several studies have shown that isolated right heart failure (IRHF) is more prominent in African women than in those living in resource rich nations. Its prognosis is thought to be worse among African women relative to similar patients from the richer economies given their general lack of access to health care and often late presentation of disease. Chronic Obstructive Pulmonary Disease (COPD) is the leading cause of IRHF in resource rich nations.
Several studies have shown that isolated right heart failure (IRHF) is more prominent in African women than in those living in resource rich nations. Its prognosis is thought to be worse among African women relative to similar patients from the richer economies given their general lack of access to health care and often late presentation of disease. Chronic Obstructive Pulmonary Disease (COPD) is the leading cause of IRHF in resource rich nations.
Several studies have shown that isolated right heart failure (IRHF) is more prominent in African women than in those living in resource rich nations. Its prognosis is thought to be worse among African women relative to similar patients from the richer economies given their general lack of access to health care and often late presentation of disease. Chronic Obstructive Pulmonary Disease (COPD) is the leading cause of IRHF in resource rich nations.
African women than in those living in resource rich nations. Its prognosis is thought to be worse among African women relative to similar patients from the richer economies given their general lack of access to health care and often late presentation of disease. Chronic Obstructive Pulmonary Disease (COPD) is the leading cause of IRHF in resource rich nations.
remains unclear whether this relationship exists in African women. In resource rich nations it is related to cigarette smoking. Risk factors for the development of COPD in Africa include combustion of biomass/traditional fuels and coal, previous tuberculosis infection, and childhood respiratory infections. Biomass fuels are used extensively throughout Africa, especially in the sub-Saharan area. Typical pollutants that result from the poor burning and ventilation of these fuels include particulate matter, aldehydes, carbon monoxide, hydrocarbons, volatile organic compounds, and nitrogen dioxide. Worldwide, women exposed to indoor smoke are three times as likely to develop COPD as those who cook and heat with electricity, gas, and other cleaner burning fuels. A study of rural South African women found an increased prevalence of COPD due to the burning of cow dung in poorly ventilated houses. The relationship between IAP and COPD needs further investigation in sub-Saharan women.
date: Not Reported
The Susan G. Komen for the Cure® Tissue Bank at the IU Simon Cancer Center Kenya Project
estigator(s): Storniolo, A. Busakhala N. Lumarai, D.
Busakhala N.

Site(s):	MTRH
Project Description:	Triple negative breast cancer, an aggressive form of breast cancer, disproportionately affects African women and premenopausal African-American women. A diagnosis of triple negative disease is particularly devastating because there are no targeted therapies against it and it carries with it an especially poor prognosis. Exactly why women of African descent are more prone to this malicious form of breast cancer is unclear. This question demands increased attention, and the Susan G. Komen for the Cure® Tissue Bank at the IU Simon Cancer Center ('Komen Tissue Bank') is ideally positioned to play a critical role.
	The Komen Tissue Bank is the first and only biorepository of normal breast tissue in the world. As with many other areas of breast cancer research, we believe that the availability of such normal tissue has the potential to revolutionize our understanding of triple negative disease. Specifically, we believe that comparing normal and triple negative tissue from African donors will allow researchers from Indiana Universityand others from around the worldto uncover vital clues regarding the origin of triple negative disease in women of African ancestry and thus speed the discovery of promising therapeutics.
	After receiving IREC approval, a tissue collection event will be held in Kenya in the summer of 2013. A portion of the tissue collected will remain in Kenya for research and the remaining tissue will be deposited into the Komen Tissue Bank as a resource for breast cancer researchers around the world. As part of this project, there will be a community event to help educate residents about breast cancer and breast health.
Update:	Kenyan Investigators have travelled to Indiana to observe a tissue collection event. Protocol, consent & questionnaire development is in process and will be submitted to IREC. A site visit to Eldoret is planned for the North American team in January 2013.

Bibliography

Published

- 1. Einterz, R.M., *International Health Collaboration*. Society of General Internal Medicine News, 1989. **12**(10): p. 4.
- 2. Einterz, R.M., R.S. Dittus, and J.J. Mamlin, *General internal medicine and technologically less developed countries*. Journal of General Internal Medicine, 1990.**5**(5): p. 427-30.
- 3. Nyarang'o, P., *Kenya's Innovation in Medical Education*. Society of General Internal Medicine News, 1990. **13**(12): p. 4-5.
- 4. Ayuku, D.O., R.M. Einterz, F. Esamai, J. Jagougah, G. Kivanguli, M. Nyarang'o, P. Nyarang'o, A. Mutema, W. Odero, and O. Sumba, *Interviewing: A manual on interviewing for health professionals*. Moi University Faculty of Health Sciences, 1991.
- 5. Menya, D.C., *On Call in a District Hospital in Kenya*. Society of General Internal Medicine News, 1991. **14**(8): p. 1-6.
- 6. Odero, W.W.O., *Community-oriented medical education: A strategy for implementing primary health care in Kenya.* Society of General Internal Medicine News, 1991: p. 4-5.
- 7. Einterz, R.M., J.R. Goss, S. Kelley, and W. Lore, *Illness and efficiency of health services delivery in a district hospital*. East African Medical Journal, 1992.**69**(5): p. 248-53.
- 8. Bettinger, P. and B. Takesue, *A resident's perspective of a hospital rotation in Kenya*. Society of General Internal Medicine News, 1993.**16**(8): p. 2-7.
- 9. Mamlin, J., *Academic general internal medicine in the developing world: A personal perspective*.society of General Internal Medicine News, 1993. **14**(4): p. 3-4.
- 10. Dean, R.A., W. Ochieng, J. Black, S.F. Queener, M.S. Bartlett, and N.G. Dumaual, *Simultaneous determination of primaquine and carboxyprimaquine in plasma using high-performance liquid chromatography with electrochemical detection*. Journal of chromatography. B, Biomedical applications, 1994. **655**(1): p. 89-96.
- 11. Einterz, R.M., C.R. Kelley, J.J. Mamlin, and D.E. Van Reken, *Partnerships in international health. The Indiana University-Moi University experience*. Infectious Disease Clinics of North America, 1995.**9**(2): p. 453-5.
- 12. Menge, I., F. Esamai, D. van Reken, and G. Anabwani, *Paediatric morbidity and mortality at the Eldoret District Hospital, Kenya*. East African Medical Journal, 1995.**72**(3): p. 165-9.
- 13. Wools-Kaloustain, K. and K.L. Roos, *Cerebral malaria. Central Nervous System Infectious Diseases and Therapy.* New York: Marcel Dekker, Inc., 1997.
- 14. King, M.W., M. Ndiema, and A.W. Neff, Anterior structural defects by misexpression of Xgbx-2 in early Xenopus embryos are associated with altered expression of cell adhesion molecules. Developmental Dynamics, 1998.**212**(4): p. 563-79.
- 15. Wools, K.K., D. Menya, F. Muli, D. Heilman, and R. Jones, *Perception of risk, sexual behaviour and STD/HIV prevalence in western Kenya*. East African Medical Journal, 1998.**75**(12): p. 679-83.
- 16. Maritim, A.C., B.H. Moore, R.A. Sanders, and J.B. Watkins, 3rd, *Effects of Melatonin on Oxidative Stress in Streptozotocin-Induced Diabetic Rats*.International Journal of Toxicology, 1999.**18**(3): p. 161-166.
- 17. Hannan, T.J., J.K. Rotich, W.W. Odero, D. Menya, F. Esamai, R.M. Einterz, J. Sidle, F. Smith, and W.M. Tierney, *The Mosoriot medical record system: design and initial implementation of an outpatient electronic record system in rural Kenya*. International Journal of Medical Informatics, 2000. **60**(1): p. 21-8.
- 18. Hannan, T.J., W.M. Tierney, J.K. Rotich, W.W. Odero, F. Smith, J.J. Mamlin, and R.M. Einterz, *The MOSORIOT medical record system (MMRS) phase I to phase II implementation: an outpatient computer-based medical record system in rural Kenya*. Studies in Health Technology & Informatics, 2001.84(Pt 1): p.

- 619-22.
- 19. Maratim, A.C., K.K. Kamar, A. Ngindu, C.N. Akoru, L. Diero, and J. Sidle, *Safranin staining of Cyclosporacayetanensisoocysts not requiring microwave heating*. British journal of biomedical science, 2002.**59**(2): p. 114-5.
- 20. Ngindu, A., K. Kamar, A. Choge, A. Maritim, C. Akoru, L. Diero, J. Smith, and M. Bartlett, *Survey of faecal parasites in patients from western Kenya*. Journal of the Egyptian Society of Parasitology, 2002. **32**(1): p. 1-7.
- 21. Tierney, W.M., J.K. Rotich, F.E. Smith, J. Bii, R.M. Einterz, and T.J. Hannan, *Crossing the "digital divide:" implementing an electronic medical record system in a rural Kenyan health center to support clinical care and research.* Proceedings / AMIA .. 2002. **Annual Symposium.**: p. 792-5.
- Williams, L.S., J. Rotich, R. Qi, N. Fineberg, A. Espay, A. Bruno, S.E. Fineberg, and W.R. Tierney, *Effects of admission hyperglycemia on mortality and costs in acute ischemic stroke*. Neurology, 2002.**59**(1): p. 67-71.
- 23. Ayaya, S.O., J. Sitienei, W. Odero, and J. Rotich, *Knowledge, attitudes, and practices of private medical practitioners on tuberculosis among HIV/AIDS patients in Eldoret, Kenya*. East African Medical Journal, 2003.**80**(2): p. 83-90.
- 24. Jablonski-Cohen, M.S., R.J. Kosgei, A.J. Rerimoi, and J.J. Mamlin, *The emerging problem of coronary heart disease in Kenya*. East African Medical Journal, 2003.**80**(6): p. 293-7.
- 25. Rotich, J.K., T.J. Hannan, F.E. Smith, J. Bii, W.W. Odero, N. Vu, B.W. Mamlin, J.J. Mamlin, R.M. Einterz, and W.M. Tierney, *Installing and implementing a computer-based patient record system in sub-Saharan Africa: the Mosoriot Medical Record System*. Journal of the American Medical Informatics Association, 2003. **10**(4): p. 295-303.
- Ayaya, S.O., F.O. Esamai, J. Rotich, and E. Liechty, *Perinatal mortality in the Special Care Nursery of Moi Teaching and Referral Hospital, Eldoret, Kenya*. East African Medical Journal, 2004.**81**(11): p. 555-61.
- 27. Ayaya, S.O., F.O. Esamai, J. Rotich, and A.R. Olwambula, *Socio-economic factors predisposing under five-year-old children to severe protein energy malnutrition at the Moi Teaching and Referral Hospital, Eldoret, Kenya*. East African Medical Journal, 2004.**81**(8): p. 415-21.
- 28. Cohen, J., S. Kimaiyo, W. Nyandiko, A. Siika, J. Sidle, K. Wools-Kaloustian, J. Mamlin, and E.J. Carter, *Addressing the educational void during the antiretroviral therapy rollout*. AIDS, 2004.**18**(15): p. 2105-6.
- 29. Diero, L., T. Stiffler, R.M. Einterz, and W.M. Tierney, *Can data from an electronic medical record identify which patients with pneumonia have Pneumocystis carinii Infection?*International Journal of Medical Informatics, 2004.**73**(11-12): p. 743-50.
- 30. Hannan, T.J., W.M. Tierney, J.K. Rotich, F.E. Smith, J. Bii, R.M. Einterz, J.J. Mamlin, W.W. Odero, and L. Diero, *Technological and human factors affecting the utilization of a CBPR system in western Kenya*. Medinfo, 2004: p. 1627.
- 31. Mamlin, J., S. Kimaiyo, W. Nyandiko, W. Tierney, and R.M. Einterz, *Academic institutions linking access to treatment and prevention: Case study. In: Perspectives and Practice in Antiretroviral Treatment.*, in *World Health Organization*2004: Geneva.
- 32. Odero, W.W., W.M. Tierney, R.M. Einterz, and S. Mungai, *Using an electronic medical record system to describe injury epidemiology and health care utilization at an inner-city hospital in Indiana*. Injury Control & Safety Promotion, 2004.**11**(4): p. 269-79.
- 33. Dabis, F., E. Balestre, P. Braitstein, P. Miotti, W.G. Brinkhof, M. Schneider, M. Schechter, C. Laurent, A. Boulle, C. Kabugo, G. Capkun, C. Seyler, J. McIntyre, E. Sprinz, D. Bangsberg, S. Van der Borght, and M. Egger, *Cohort Profile: Antiretroviral Therapy in Lower Income Countries (ART-LINC): international collaboration of treatment cohorts.* International journal of epidemiology, 2005. **34**(5): p. 979-86.
- 34. Fraser, H.S., P. Biondich, D. Moodley, S. Choi, B.W. Mamlin, and P. Szolovits, *Implementing electronic medical record systems in developing countries*. Informatics in primary care, 2005.**13**(2): p. 83-95.
- 35. Mamlin, B.W. and P.G. Biondich, AMPATH Medical Record System (AMRS): collaborating toward an EMR

- for developing countries. AMIA ... Annual Symposium proceedings / AMIA Symposium. AMIA Symposium, 2005: p. 490-4.
- 36. Siika, A.M., J.K. Rotich, C.J. Simiyu, E.M. Kigotho, F.E. Smith, J.E. Sidle, K. Wools-Kaloustian, S.N. Kimaiyo, W.M. Nyandiko, T.J. Hannan, and W.M. Tierney, *An electronic medical record system for ambulatory care of HIV-infected patients in Kenya*.International Journal of Medical Informatics, 2005.**74**(5): p. 345-55.
- 37. Thirumurthy, H., J. Zivin, and M. Goldstein, *The Economic Impact of AIDS Treatment: Labor Supply in Western Kenya*. National Bureau of Economic Research, 2005. **Working Paper No. 11871**.
- 38. Braitstein, P., M.W. Brinkhof, F. Dabis, M. Schechter, A. Boulle, P. Miotti, R. Wood, C. Laurent, E. Sprinz, C. Seyler, D.R. Bangsberg, E. Balestre, J.A. Sterne, M. May, and M. Egger, *Mortality of HIV-1-infected patients in the first year of antiretroviral therapy: comparison between low-income and high-income countries*. Lancet, 2006.**367**(9513): p. 817-24.
- 39. Diero, L., J.K. Rotich, J. Bii, B.W. Mamlin, R.M. Einterz, I.Z. Kalamai, and W.M. Tierney, *A computer-based medical record system and personal digital assistants to assess and follow patients with respiratory tract infections visiting a rural Kenyan health centre.* BMC Medical Informatics & Decision Making, 2006. 6: p. 21.
- 40. Diero, L.O., D. Shaffer, S. Kimaiyo, A.M. Siika, J.K. Rotich, F.E. Smith, J.J. Mamlin, R.M. Einterz, A.C. Justice, E.J. Carter, and W.M. Tierney, *Characteristics of HIV infected patients cared for at "academic model for the prevention and treatment of HIV/AIDS" clinics in western Kenya*. East African Medical Journal, 2006.83(8): p. 424-33.
- 41. Mamlin, B.W., P.G. Biondich, B.A. Wolfe, H. Fraser, D. Jazayeri, C. Allen, J. Miranda, and W.M. Tierney, Cooking up an open source EMR for developing countries: OpenMRS a recipe for successful collaboration. AMIA ... Annual Symposium proceedings / AMIA Symposium. AMIA Symposium, 2006: p. 529-33.
- 42. Nyandiko, W.M., S. Ayaya, E. Nabakwe, C. Tenge, J.E. Sidle, C.T. Yiannoutsos, B. Musick, K. Wools-Kaloustian, and W.M. Tierney, *Outcomes of HIV-infected orphaned and non-orphaned children on antiretroviral therapy in western Kenya*. Journal of Acquired Immune Deficiency Syndromes: JAIDS, 2006. **43**(4): p. 418-25.
- 43. Shaffer, D.N., V.N. Yebei, J.B. Ballidawa, J.E. Sidle, J.Y. Greene, E.M. Meslin, S.J. Kimaiyo, and W.M. Tierney, Equitable treatment for HIV/AIDS clinical trial participants: a focus group study of patients, clinician researchers, and administrators in Western Kenya. Journal of medical ethics, 2006. 32(1): p. 55-60.
- 44. Sidle, J.E., E. Were, K. Wools-Kaloustian, C. Chuani, K. Salmon, W.M. Tierney, and E.M. Meslin, *A needs assessment to build international research ethics capacity.* Journal of empirical research on human research ethics: JERHRE, 2006. **1**(2): p. 23-38.
- 45. Siika, A.M., J.M. Chakaya, G. Revathi, S.S. Mohamed, and K.M. Bhatt, *Bronchoscopic study on aetiology of chronic cough in HIV-infected adults with negative sputum smears for Mycobacterium tuberculosis at Kenyatta National Hospital, Nairobi.*East African Medical Journal, 2006.**83**(6): p. 295-305.
- 46. Tierney, W.M., E.J. Beck, R.M. Gardner, B. Musick, M. Shields, N.M. Shiyonga, and M.H. Spohr, *Viewpoint: a pragmatic approach to constructing a minimum data set for care of patients with HIV in developing countries.* Journal of the American Medical Informatics Association: JAMIA, 2006. **13**(3): p. 253-60.
- 47. Wolfe, B.A., B.W. Mamlin, P.G. Biondich, H.S. Fraser, D. Jazayeri, C. Allen, J. Miranda, and W.M. Tierney, *The OpenMRS system: collaborating toward an open source EMR for developing countries*. AMIA ... Annual Symposium proceedings / AMIA Symposium. AMIA Symposium, 2006: p. 1146.
- 48. Wools-Kaloustian, K. and S. Kimaiyo, *Extending HIV care in resource-limited settings*. Current HIV/AIDS Reports, 2006.**3**(4): p. 182-6.
- 49. Wools-Kaloustian, K., S. Kimaiyo, L. Diero, A. Siika, J. Sidle, C.T. Yiannoutsos, B. Musick, R. Einterz, K.H.

- Fife, and W.M. Tierney, Viability and effectiveness of large-scale HIV treatment initiatives in sub-Saharan Africa: experience from western Kenya. AIDS, 2006. **20**(1): p. 41-8.
- 50. Allen, C., D. Jazayeri, J. Miranda, P.G. Biondich, B.W. Mamlin, B.A. Wolfe, C. Seebregts, N. Lesh, W.M. Tierney, and H.S. Fraser, *Experience in implementing the OpenMRS medical record system to support HIV treatment in Rwanda*. Studies in health technology and informatics, 2007. **129**(Pt 1): p. 382-6.
- 51. Ayaya, S.O., E. Liechty, J.H. Conway, T. Kamau, and F.O. Esamai, *Training needs for mid-level managers and immunisation coverage in Western Kenya*. East African Medical Journal, 2007.**84**(7): p. 342-52.
- 52. Ayikukwei, R.M., D. Ngare, J.E. sidle, D.O. Ayuku, J. Baliddawa, and J.Y. Greene, *Social and Cultural Significance of the Sexual Cleansing Ritual and its Impact on HIV Prevention Strategies in Western Kenya*. Sex Cult, 2007. **11**: p. 32-50.
- 53. Bii, S.C., B. Otieno-Nyunya, A. Siika, and J.K. Rotich, *Self-reported adherence to single dose nevirapine in the prevention of mother to child transmission of HIV at Kitale District Hospital*. East African Medical Journal, 2007.**84**(12): p. 571-6.
- 54. Brinkhof, M.W., M. Egger, A. Boulle, M. May, M. Hosseinipour, E. Sprinz, P. Braitstein, F. Dabis, P. Reiss, D.R. Bangsberg, M. Rickenbach, J.M. Miro, L. Myer, A. Mocroft, D. Nash, O. Keiser, M. Pascoe, S. van der Borght, and M. Schechter, *Tuberculosis after initiation of antiretroviral therapy in low-income and high-income countries*. Clinical infectious diseases: an official publication of the Infectious Diseases Society of America, 2007. **45**(11): p. 1518-21.
- 55. Einterz, R.M., S. Kimaiyo, H.N.K. Mengech, B.O. Khwa-Otsyula, F. Esamai, F. Quigley, and J.J. Mamlin, *Responding to the HIV pandemic: the power of an academic medical partnership*. Academic Medicine, 2007.**82**(8): p. 812-8.
- 56. Flanigan, T.P., K. Wools-Kaloustain, J. Harwell, S. Cu-Uvin, S. Kimaiyo, and E.J. Carter, *Highly active antiretroviral therapy (HAART)--plus: next steps to enhance HAART in resource-limited areas?*Clinical Infectious Diseases, 2007.**45**(11): p. 1499-501.
- 57. Inui, T.S., W.M. Nyandiko, S.N. Kimaiyo, R.M. Frankel, T. Muriuki, J.J. Mamlin, R.M. Einterz, and J.E. Sidle, *AMPATH: living proof that no one has to die from HIV*. Journal of General Internal Medicine, 2007.**22**(12): p. 1745-50.
- 58. Nyandiko, W.M., D. Greenberg, E. Shany, C.T. Yiannoutsos, B. Musick, and A.W. Mwangi, Nasopharyngeal Streptococcus pneumoniae among under-five year old children at the Moi Teaching and Referral Hospital, Eldoret, Kenya. East African Medical Journal, 2007.84(4): p. 156-62.
- 59. Odero, W., S. Polsky, D. Urbane, R. Carel, and W.M. Tierney, *Characteristics of injuries presenting to a rural health centre in western Kenya*. East African Medical Journal, 2007.**84**(8): p. 367-73.
- 60. Odero, W., J. Rotich, C.T. Yiannoutsos, T. Ouna, and W.M. Tierney, *Innovative approaches to application of information technology in disease surveillance and prevention in Western Kenya*. Journal of Biomedical Informatics, 2007.**40**(4): p. 390-7.
- 61. Oman, K., B. Khwa-Otsyula, G. Majoor, R. Einterz, and A. Wasteson, *Working collaboratively to support medical education in developing countries: the case of the Friends of Moi University Faculty of Health Sciences*. Education for health, 2007.**20**(1): p. 12.
- 62. Reece, M., E. Shacham, P. Monahan, V. Yebei, W.O. Ong'or, O. Omollo, and C. Ojwang, *Psychological distress symptoms of individuals seeking HIV-related psychosocial support in western Kenya*. AIDS care, 2007. **19**(10): p. 1194-200.
- 63. Tierney, W.M., J.K. Rotich, T.J. Hannan, A.M. Siika, P.G. Biondich, B.W. Mamlin, W.M. Nyandiko, S. Kimaiyo, K. Wools-Kaloustian, J.E. Sidle, C. Simiyu, E. Kigotho, B. Musick, J.J. Mamlin, and R.M. Einterz, *The AMPATH medical record system: creating, implementing, and sustaining an electronic medical record system to support HIV/AIDS care in western Kenya*. Studies in Health Technology & Informatics, 2007. 129(Pt 1): p. 372-6.
- 64. Tuboi, S.H., M.W. Brinkhof, M. Egger, R.A. Stone, P. Braitstein, D. Nash, E. Sprinz, F. Dabis, L.H. Harrison, and M. Schechter, *Discordant responses to potent antiretroviral treatment in previously naive HIV-1-*

- infected adults initiating treatment in resource-constrained countries: the antiretroviral therapy in low-income countries (ART-LINC) collaboration. Journal of acquired immune deficiency syndromes, 2007.45(1): p. 52-9.
- 65. Waxman, M.J., S. Kimaiyo, N. Ongaro, K.K. Wools-Kaloustian, T.P. Flanigan, and E.J. Carter, *Initial outcomes of an emergency department rapid HIV testing program in western Kenya*. AIDS patient care and STDs, 2007.**21**(12): p. 981-6.
- 66. Were, M.C., B.W. Mamlin, W.M. Tierney, B. Wolfe, and P.G. Biondich, *Concept dictionary creation and maintenance under resource constraints: lessons from the AMPATH Medical Record System*. AMIA ... Annual Symposium proceedings / AMIA Symposium. AMIA Symposium, 2007: p. 791-5.
- 67. Wools-Kaloustian, K., S.K. Gupta, E. Muloma, W. Owino-Ong'or, J. Sidle, R.W. Aubrey, J. Shen, K. Kipruto, B.E. Zwickl, and M. Goldman, *Renal disease in an antiretroviral-naive HIV-infected outpatient population in Western Kenya*. Nephrology Dialysis Transplantation, 2007.**22**(8): p. 2208-12.
- 68. Bii, S.C., B. Otieno-Nyunya, A. Siika, and J.K. Rotich, *Infant feeding practices among HIV infected women receiving prevention of mother-to-child transmission services at Kitale District Hospital, Kenya*. East African Medical Journal, 2008.**85**(4): p. 156-61.
- 69. Bii, S.C., B. Otieno-Nyunya, A. Siika, and J.K. Rotich, *Family planning and safer sex practices among HIV infected women receiving prevention of mother-to-child transmission services at Kitale District Hospital*. East African Medical Journal, 2008.**85**(1): p. 46-50.
- 70. Braitstein, P., A. Boulle, D. Nash, M.W. Brinkhof, F. Dabis, C. Laurent, M. Schechter, S.H. Tuboi, E. Sprinz, P. Miotti, M. Hosseinipour, M. May, M. Egger, D.R. Bangsberg, and N. Low, *Gender and the use of antiretroviral treatment in resource-constrained settings: findings from a multicenter collaboration*. Journal of women's health, 2008. **17**(1): p. 47-55.
- 71. Byron, E., S. Gillespie, and M. Nangami, *Integrating nutrition security with treatment of people living with HIV: lessons from Kenya.* Food and nutrition bulletin, 2008. **29**(2): p. 87-97.
- 72. Carter, E.J., S. Kimaiyo, and N. Buziba, *The Cough Monitor Story*. WHO Stop TB Bimonthly Newsletter, 2008. **January**: p. 5.
- 73. Keiser, O., K. Anastos, M. Schechter, E. Balestre, L. Myer, A. Boulle, D. Bangsberg, H. Toure, P. Braitstein, E. Sprinz, D. Nash, M. Hosseinipour, F. Dabis, M. May, M.W. Brinkhof, and M. Egger, *Antiretroviral therapy in resource-limited settings 1996 to 2006: patient characteristics, treatment regimens and monitoring in sub-Saharan Africa, Asia and Latin America.* Tropical medicine & international health: TM & IH, 2008. **13**(7): p. 870-9.
- 74. Lingappa, J.R., B. Lambdin, E.A. Bukusi, K. Ngure, L. Kavuma, M. Inambao, W. Kanweka, S. Allen, J.N. Kiarie, J. Makhema, E. Were, R. Manongi, D. Coetzee, G. de Bruyn, S. Delany-Moretlwe, A. Magaret, N. Mugo, A. Mujugira, P. Ndase, and C. Celum, *Regional differences in prevalence of HIV-1 discordance in Africa and enrollment of HIV-1 discordant couples into an HIV-1 prevention trial*.PLoS ONE [Electronic Resource], 2008.**3**(1): p. e1411.
- 75. Meslin, E.M., Achieving global justice in health through global research ethics: Supplementing Macklin's "top-down" approach with on from the "ground up, in Global Bioethics, D.A. Green RM, Jauss SA (eds.), Editor 2008, New York: Clarendon Press. p. 163-177.
- 76. Mutea, N.K. and C.M. Baker, *Kenyan nurses' involvement in managing hospitalized diabetic patients*. International journal of nursing practice, 2008. **14**(1): p. 40-6.
- 77. Nash, D., M. Katyal, M.W. Brinkhof, O. Keiser, M. May, R. Hughes, F. Dabis, R. Wood, E. Sprinz, M. Schechter, and M. Egger, *Long-term immunologic response to antiretroviral therapy in low-income countries: a collaborative analysis of prospective studies*. AIDS, 2008.**22**(17): p. 2291-302.
- 78. Opotowsky, A.R., R. Vedanthan, and J.J. Mamlin, *A case report of corpulmonale in a woman without exposure to tobacco smoke: an example of the risks of indoor wood burning*. Medscape journal of medicine, 2008.**10**(1): p. 22.
- 79. Shacham, E., M. Reece, P.O. Monahan, V. Yebei, O. Omollo, W.O. Ong'or, and C. Ojwang, *Measuring*

- psychological distress symptoms in individuals living with HIV in western Kenya. Journal of Mental Health, 2008. **17**(4): p. 424-434.
- 80. Shacham, E., M. Reece, W.O. Ong'or, O. Omollo, P.O. Monahan, and C. Ojwang, *Characteristics of psychosocial support seeking during HIV-related treatment in western Kenya*. AIDS patient care and STDs, 2008.**22**(7): p. 595-601.
- 81. Siika, A.M., P.O. Ayuo, M.J.E. Sidle, K. Wools-Kaloustian, S.N. Kimaiyo, and W.M. Tierney, *Admission characteristics, diagnoses and outcomes of HIV-infected patients registered in an ambulatory HIV-care programme in western Kenya*. East African Medical Journal, 2008.**85**(11): p. 523-8.
- 82. Talam, N.C., P. Gatongi, J. Rotich, and S. Kimaiyo, Factors affecting antiretroviral drug adherence among HIV/AIDS adult patients attending HIV/AIDS clinic at Moi Teaching and Referral Hospital, Eldoret, Kenya. East African Journal of Public Health, 2008.5(2): p. 74-8.
- 83. Thirumurthy, H., J.G. Zivin, and M. Goldstein, *The economic impact of AIDS treatment Labor supply in Western Kenya*. Journal of Human Resources, 2008.**43**(3): p. 511-552.
- 84. Vreeman, R.C., S.E. Wiehe, S.O. Ayaya, B.S. Musick, and W.M. Nyandiko, *Association of antiretroviral and clinic adherence with orphan status among HIV-infected children in Western Kenya*. Journal of acquired immune deficiency syndromes, 2008. **49**(2): p. 163-70.
- 85. Vreeman, R.C., S.E. Wiehe, E.C. Pearce, and W.M. Nyandiko, *A systematic review of pediatric adherence to antiretroviral therapy in low- and middle-income countries*. The Pediatric infectious disease journal, 2008. **27**(8): p. 686-91.
- 86. Waxman, M.J., P. Muganda, E.J. Carter, and N. Ongaro, *The role of emergency department HIV care in resource-poor settings: lessons learned in western Kenya*. International journal of emergency medicine, 2008.**1**(4): p. 317-20.
- 87. Were, E., K. Wools-Kaloustian, J. Baliddawa, P.O. Ayuo, J. Sidle, and K. Fife, *Stakeholders perception of HIV sero-discordant couples in western Kenya*. East African Medical Journal, 2008.**85**(7): p. 326-33.
- 88. Were, M.C., J.M. Sutherland, M. Bwana, J. Ssali, N. Emenyonu, and W.M. Tierney, *Patterns of care in two HIV continuity clinics in Uganda, Africa: a time-motion study.* AIDS care, 2008. **20**(6): p. 677-82.
- 89. Wools-Kaloustian, K.K. and S.K. Gupta, *Will there be an epidemic of HIV-related chronic kidney disease in sub-Saharan Africa? Too soon to tell.*Kidney international, 2008.**74**(7): p. 845-7.
- 90. Yebei, V.N., J.D. Fortenberry, and D.O. Ayuku, *Felt stigma among people living with HIV/AIDS in rural and urban Kenya*. African Health Sciences, 2008.**8**(2): p. 97-102.
- 91. Yiannoutsos, C.T., M.W. An, C.E. Frangakis, B.S. Musick, P. Braitstein, K. Wools-Kaloustian, D. Ochieng, J.N. Martin, M.C. Bacon, V. Ochieng, and S. Kimaiyo, *Sampling-based approaches to improve estimation of mortality among patient dropouts: experience from a large PEPFAR-funded program in Western Kenya*.PLoS ONE [Electronic Resource], 2008.**3**(12): p. e3843.
- 92. Zoll, M.C., Integrated health care delivery systems for families and children impacted by HIV/AIDS: Four program case studies from Kenya and Rwanda. Joint Learning Initiative on Children and HIV/AIDS.JLICA, 2008. October.
- 93. Alonzo, T.A., C.T. Nakas, C.T. Yiannoutsos, and S. Bucher, *A comparison of tests for restricted orderings in the three-class case*. Statistics in medicine, 2009.**28**(7): p. 1144-58.
- 94. An, M.W., C.E. Frangakis, B.S. Musick, and C.T. Yiannoutsos, *The need for double-sampling designs in survival studies: an application to monitor PEPFAR*.Biometrics, 2009.**65**(1): p. 301-6.
- 95. Braitstein, P., R.M. Einterz, J.E. Sidle, S. Kimaiyo, and W. Tierney, "Talkin' about a revolution": How electronic health records can facilitate the scale-up of HIV care and treatment and catalyze primary care in resource-constrained settings. Journal of Acquired Immune Deficiency Syndromes: JAIDS, 2009. **52 Suppl 1**: p. S54-7.
- 96. Braitstein, P., W. Nyandiko, R. Vreeman, K. Wools-Kaloustian, E. Sang, B. Musick, J. Sidle, C. Yiannoutsos, S. Ayaya, and E.J. Carter, *The clinical burden of tuberculosis among human immunodeficiency virus-infected children in Western Kenya and the impact of combination antiretroviral treatment*. Pediatric

- Infectious Disease Journal, 2009.28(7): p. 626-32.
- 97. d'Adda, G., M. Goldstein, J.G. Zivin, M. Nangami, and H. Thirumurthy, *ARV Treatment and Time Allocation to Household Tasks: Evidence from Kenya*. African Development Review, 2009. **21**(1): p. 180-208.
- 98. Inui, T.S., J.E. Sidle, W.M. Nyandiko, V.N. Yebei, R.M. Frankel, D.L. Mossbarger, D. Ayuku, J. Ballidawa, and R. Ayikukwei, 'Triangulating' AMPATH: demonstration of a multi-perspective strategic programme evaluation method. SAHARA J: Journal of Social Aspects of HIV/AIDS Research Alliance, 2009. **6**(3): p. 105-14.
- 99. Kantor, R., L. Diero, A. Delong, L. Kamle, S. Muyonga, F. Mambo, E. Walumbe, W. Emonyi, P. Chan, E.J. Carter, J.Hogan, and N. Buziba, *Misclassification of first-line antiretroviral treatment failure based on immunological monitoring of HIV infection in resource-limited settings*. Clinical infectious diseases: an official publication of the Infectious Diseases Society of America, 2009. **49**(3): p. 454-62.
- 100. Lim, J.L., Y. Yih, C. Gichunge, W.M. Tierney, T.H. Le, J. Zhang, M.A. Lawley, T.J. Petersen, and J.J. Mamlin, *The AMPATH Nutritional Information System: designing a food distribution electronic record system in rural Kenya*. Journal of the American Medical Informatics Association: JAMIA, 2009. **16**(6): p. 882-8.
- 101. Mamlin, J., S. Kimaiyo, S. Lewis, H. Tadayo, F.K. Jerop, C. Gichunge, T. Petersen, Y. Yih, P. Braitstein, and R. Einterz, *Integrating nutrition support for food-insecure patients and their dependents into an HIV care and treatment program in Western Kenya*. American journal of public health, 2009.**99**(2): p. 215-21.
- 102. Monahan, P.O., E. Shacham, M. Reece, K. Kroenke, W.O. Ong'or, O. Omollo, V.N. Yebei, and C. Ojwang, *Validity/reliability of PHQ-9 and PHQ-2 depression scales among adults living with HIV/AIDS in western Kenya*. Journal of General Internal Medicine, 2009.**24**(2): p. 189-97.
- 103. Nyandiko, W.M., A. Mwangi, S.O. Ayaya, E.C. Nabakwe, C.N. Tenge, P.M. Gisore, and R.C. Vreeman, *Characteristics of HIV-infected children seen in Western Kenya*. East African Medical Journal, 2009.**86**(8): p. 364-73.
- 104. O'Meara, W.P. and T. Lang, *Malaria vaccine trial endpoints bridging the gaps between trial design, public health and the next generation of vaccines*. Parasite immunology, 2009.**31**(9): p. 574-81.
- 105. Pastakia, S.D., E.M. Schellhase, and B. Jakait, *Collaborative partnership for clinical pharmacy services in Kenya*. American journal of health-system pharmacy: AJHP: official journal of the American Society of Health-System Pharmacists, 2009. **66**(15): p. 1386-90.
- 106. Ranney, M.L., W. Odero, M.J. Mello, M. Waxman, and R.S. Fife, *Injuries from interpersonal violence* presenting to a rural health center in Western Kenya: characteristics and correlates. Injury Prevention, 2009.**15**(1): p. 36-40.
- 107. Seebregts, C.J., B.W. Mamlin, P.G. Biondich, H.S. Fraser, B.A. Wolfe, D. Jazayeri, C. Allen, J. Miranda, E. Baker, N. Musinguzi, D. Kayiwa, C. Fourie, N. Lesh, A. Kanter, C.T. Yiannoutsos, and C. Bailey, *The OpenMRS Implementers Network*.International Journal of Medical Informatics, 2009.**78**(11): p. 711-20.
- 108. Siika, A.M., W.M. Nyandiko, A. Mwangi, M. Waxman, J.E. Sidle, S.N. Kimaiyo, and K. Wools-Kaloustian, The structure and outcomes of a HIV postexposure prophylaxis program in a high HIV prevalence setup in western Kenya. Journal of Acquired Immune Deficiency Syndromes: JAIDS, 2009. **51**(1): p. 47-53.
- 109. Vreeman, R., W.M. Nyandiko, and T.F. Blaschke, *Adherence to antiretroviral therapy for adults and children in resource-limited settings*. Reviews in Antiviral Therapy, 2009.**2 (supplement)**: p. 6-13.
- 110. Vreeman, R.C., W.M. Nyandiko, S.O. Ayaya, E.G. Walumbe, D.G. Marrero, and T.S. Inui, *Factors* sustaining pediatric adherence to antiretroviral therapy in western Kenya. Qualitative Health Research, 2009.**19**(12): p. 1716-29.
- 111. Vreeman, R.C., W.M. Nyandiko, and E.M. Meslin, *Pediatric assent for a study of antiretroviral therapy dosing for children in Western Kenya: a case study in international research collaboration.* Journal of empirical research on human research ethics: JERHRE, 2009. **4**(1): p. 3-16.
- 112. Vreeman, R.C., W.M. Nyandiko, E. Sang, B.S. Musick, P. Braitstein, and S.E. Wiehe, *Impact of the Kenya post-election crisis on clinic attendance and medication adherence for HIV-infected children in western*

- Kenya. Conflict and health, 2009.3: p. 5.
- 113. Wachira, J., B. Otieno-Nyunya, J. Ballidawa, and P. Braitstein, *Assessment of knowledge, attitudes and practices of infant feeding in the context of HIV: a case study from western Kenya.* SAHARA J: journal of Social Aspects of HIV/AIDS Research Alliance / SAHARA, Human Sciences Research Council, 2009. **6**(3): p. 120-6; quiz 127-33.
- 114. Wools-Kaloustian, K., S. Kimaiyo, B. Musick, J. Sidle, A. Siika, W. Nyandiko, R. Einterz, W.M. Tierney, and C.T. Yiannoutsos, *The impact of the President's Emergency Plan for AIDS Relief on expansion of HIV care services for adult patients in western Kenya*. AIDS, 2009. **23**(2): p. 195-201.
- 115. Wools-Kaloustian, K.K., J.E. Sidle, H.M. Selke, R. Vedanthan, E.K. Kemboi, L.J. Boit, V.T. Jebet, A.E. Carroll, W.M. Tierney, and S. Kimaiyo, *A model for extending antiretroviral care beyond the rural health centre*. Journal of the International AIDS Society, 2009.**12**(1): p. 22.
- 116. Yiannoutsos, C.T., *Modeling AIDS survival after initiation of antiretroviral treatment by Weibull models with changepoints*. Journal of the International AIDS Society, 2009.**12**(1): p. 9.
- 117. Zivin, J.G., H. Thirumurthy, and M. Goldstein, *AIDS treatment and intrahousehold resource allocation: Children's nutrition and schooling in Kenya*. Journal of Public Economics, 2009.**93**(7-8): p. 1008-1015.
- 118. Braitstein, P., P. Ayuo, A. Mwangi, K. Wools-Kaloustian, B. Musick, A. Siika, and S. Kimaiyo, *Sustainability of first-line antiretroviral regimens: findings from a large HIV treatment program in western Kenya.*Journal of Acquired Immune Deficiency Syndromes: JAIDS, 2010. **53**(2): p. 254-9.
- 119. Braitstein, P., A. Katshcke, C. Shen, E. Sang, W. Nyandiko, V.O. Ochieng, R. Vreeman, C.T. Yiannoutsos, K. Wools-Kaloustian, and S. Ayaya, *Retention of HIV-infected and HIV-exposed children in a comprehensive HIV clinical care programme in Western Kenya*. Tropical Medicine & International Health, 2010. **15**(7): p. 833-41.
- 120. Celum, C., A. Wald, J.R. Lingappa, A.S. Magaret, R.S. Wang, N. Mugo, A. Mujugira, J.M. Baeten, J.I. Mullins, J.P. Hughes, E.A. Bukusi, C.R. Cohen, E. Katabira, A. Ronald, J. Kiarie, C. Farquhar, G.J. Stewart, J. Makhema, M. Essex, E. Were, K.H. Fife, G. de Bruyn, G.E. Gray, J.A. McIntyre, R. Manongi, S. Kapiga, D. Coetzee, S. Allen, M. Inambao, K. Kayitenkore, E. Karita, W. Kanweka, S. Delany, H. Rees, B. Vwalika, W. Stevens, M.S. Campbell, K.K. Thomas, R.W. Coombs, R. Morrow, W.L. Whittington, M.J. McElrath, L. Barnes, R. Ridzon, and L. Corey, Acyclovir and transmission of HIV-1 from persons infected with HIV-1 and HSV-2. The New England journal of medicine, 2010.362(5): p. 427-39.
- 121. Cornut, G., S. Gagnon, C. Hankins, D. Money, K. Pourreaux, E.L. Franco, and F. Coutlee, *Polymorphism of the capsid L1 gene of human papillomavirus types 31, 33, and 35*. Journal of medical virology, 2010.**82**(7): p. 1168-78.
- 122. Geng, E.H., D.R. Bangsberg, N. Musinguzi, N. Emenyonu, M.B. Bwana, C.T. Yiannoutsos, D.V. Glidden, S.G. Deeks, and J.N. Martin, *Understanding reasons for and outcomes of patients lost to follow-up in antiretroviral therapy programs in Africa through a sampling-based approach*. Journal of acquired immune deficiency syndromes, 2010.**53**(3): p. 405-11.
- 123. Geng, E.H., D. Nash, A. Kambugu, Y. Zhang, P. Braitstein, K.A. Christopoulos, W. Muyindike, M.B. Bwana, C.T. Yiannoutsos, M.L. Petersen, and J.N. Martin, *Retention in care among HIV-infected patients in resource-limited settings: emerging insights and new directions*. Current HIV/AIDS Reports, 2010.**7**(4): p. 234-44.
- 124. Keiser, O., H. Tweya, P. Braitstein, F. Dabis, P. MacPhail, A. Boulle, D. Nash, R. Wood, R. Luthi, M.W. Brinkhof, M. Schechter, and M. Egger, *Mortality after failure of antiretroviral therapy in sub-Saharan Africa*. Tropical medicine & international health: TM & IH, 2010. **15**(2): p. 251-8.
- 125. Kimaiyo, S., M.C. Were, C. Shen, S. Ndege, P. Braitstein, J. Sidle, and J. Mamlin, *Home-based HIV counselling and testing in Western Kenya*. East African Medical Journal, 2010.**87**(3): p. 100-108.
- 126. Kosgei, R.J., K. Wools-Kaloustain, P. Braitstein, J. Sidle, E. Sang, J. Gitau, J. Sitienei, R. Owino, J. Mamlin, S. Kimaiyo, and A. Siika, *Task Shifting in HIV Clinics, Western Kenya*. East African Medical Journal, 2010.**87**(7): p. 299-303.

- 127. Lingappa, J.R., J.M. Baeten, A. Wald, J.P. Hughes, K.K. Thomas, A. Mujugira, N. Mugo, E.A. Bukusi, C.R. Cohen, E. Katabira, A. Ronald, J. Kiarie, C. Farquhar, G.J. Stewart, J. Makhema, M. Essex, E. Were, K.H. Fife, G. de Bruyn, G.E. Gray, J.A. McIntyre, R. Manongi, S. Kapiga, D. Coetzee, S. Allen, M. Inambao, K. Kayitenkore, E. Karita, W. Kanweka, S. Delany, H. Rees, B. Vwalika, A.S. Magaret, R.S. Wang, L. Kidoguchi, L. Barnes, R. Ridzon, L. Corey, and C. Celum, *Daily acyclovir for HIV-1 disease progression in people dually infected with HIV-1 and herpes simplex virus type 2: a randomised placebo-controlled trial*. Lancet, 2010. **375**(9717): p. 824-33.
- 128. Lockman, S., M.D. Hughes, J. McIntyre, Y. Zheng, T. Chipato, F. Conradie, F. Sawe, A. Asmelash, M.C. Hosseinipour, L. Mohapi, E. Stringer, R. Mngqibisa, A. Siika, D. Atwine, J. Hakim, D. Shaffer, C. Kanyama, K. Wools-Kaloustian, R.A. Salata, E. Hogg, B. Alston-Smith, A. Walawander, E. Purcelle-Smith, S. Eshleman, J. Rooney, S. Rahim, J.W. Mellors, R.T. Schooley, J.S. Currier, and O.A.S. Team, *Antiretroviral therapies in women after single-dose nevirapine exposure*. New England Journal of Medicine, 2010. **363**(16): p. 1499-509.
- 129. Noormohammad, S.F., B.W. Mamlin, P.G. Biondich, B. McKown, S.N. Kimaiyo, and M.C. Were, *Changing course to make clinical decision support work in an HIV clinic in Kenya*. International Journal of Medical Informatics, 2010.**79**(3): p. 204-10.
- 130. Nyandiko, W.M., B. Otieno-Nyunya, B. Musick, S. Bucher-Yiannoutsos, P. Akhaabi, K. Lane, C.T. Yiannoutsos, and K. Wools-Kaloustian, *Outcomes of HIV-exposed children in western Kenya: efficacy of prevention of mother to child transmission in a resource-constrained setting.* Journal of Acquired Immune Deficiency Syndromes: JAIDS, 2010. **54**(1): p. 42-50.
- 131. Ochieng-Ooko, V., D. Ochieng, J.E. Sidle, M. Holdsworth, K. Wools-Kaloustian, A.M. Siika, C.T. Yiannoutsos, M. Owiti, S. Kimaiyo, and P. Braitstein, *Influence of gender on loss to follow-up in a large HIV treatment programme in western Kenya*. Bulletin of the World Health Organization, 2010.88(9): p. 681-8.
- 132. Okemwa, K.A., P.M. Gatongi, and J.K. Rotich, *The oral health knowledge and oral hygiene practices among primary school children age 5-17 years in a rural area of UasinGishu district, Kenya*. East African Journal of Public Health, 2010.**7**(2): p. 187-90.
- 133. O'Meara, W.P., J.N. Mangeni, R. Steketee, and B. Greenwood, *Changes in the burden of malaria in sub-Saharan Africa*. The Lancet infectious diseases, 2010.**10**(8): p. 545-55.
- 134. Papas, R.K., J.E. Sidle, S. Martino, J.B. Baliddawa, R. Songole, O.E. Omolo, B.N. Gakinya, M.M. Mwaniki, J.O. Adina, T. Nafula, W.D. Owino-Ong'or, K.J. Bryant, K.M. Carroll, J.L. Goulet, A.C. Justice, and S.A. Maisto, *Systematic cultural adaptation of cognitive-behavioral therapy to reduce alcohol use among HIV-infected outpatients in western Kenya*. AIDS and behavior, 2010. **14**(3): p. 669-78.
- 135. Papas, R.K., J.E. Sidle, E.S. Wamalwa, T.O. Okumu, K.L. Bryant, J.L. Goulet, S.A. Maisto, R.S. Braithwaite, and A.C. Justice, *Estimating alcohol content of traditional brew in Western Kenya using culturally relevant methods: the case for cost over volume*.AIDS and behavior, 2010.**14**(4): p. 836-44.
- 136. Pasha, O., R.L. Goldenberg, E.M. McClure, S. Saleem, S.S. Goudar, F. Althabe, A. Patel, F. Esamai, A. Garces, E. Chomba, M. Mazariegos, B. Kodkany, J.M. Belizan, R.J. Derman, P.L. Hibberd, W.A. Carlo, E.A. Liechty, K.M. Hambidge, P. Buekens, D. Wallace, L. Howard-Grabman, S. Stalls, M. Koso-Thomas, A.H. Jobe, and L.L. Wright, *Communities, birth attendants and health facilities: a continuum of emergency maternal and newborn care (the Global Network's EmONC trial)*. BMC pregnancy and childbirth, 2010. 10: p. 82.
- 137. Reece, M., A. Hollub, M. Nangami, and K. Lane, *Assessing male spousal engagement with prevention of mother-to-child transmission (pMTCT) programs in western Kenya*. AIDS care, 2010. 22(6): p. 743-50.
- 138. Selke, H.M., S. Kimaiyo, J.E. Sidle, R. Vedanthan, W.M. Tierney, C. Shen, C.D. Denski, A.R. Katschke, and K. Wools-Kaloustian, Task-shifting of antiretroviral delivery from health care workers to persons living with HIV/AIDS: clinical outcomes of a community-based program in Kenya. Journal of Acquired Immune Deficiency Syndromes: JAIDS, 2010. 55(4): p. 483-90.

- 139. Shacham, E., M. Reece, W.O. Ong'or, O. Omollo, and T.B. Basta, *A cross-cultural comparison of psychological distress among individuals living with HIV in Atlanta, Georgia, and Eldoret, Kenya*. Journal of the International Association of Physicians in AIDS Care, 2010. 9(3): p. 162-9.
- 140. Siika, A., K. Wools-Kaloustain, A.W. Mwangi, S. Kimaiyo, L. Diero, P. Ayuo, W. Owino-Ong'or, J. Sidle, R.M. Einterz, C. Yiannoutsos, B. Musick, and W. Tierney, *Risk factors for death in HIV-infected adult African patients receiving antiretroviral therapy.* East African Medical Journal, 2010. 87: p. 50-58.
- 141. Strother, R.M., K.M. Gregory, S.D. Pastakia, P. Were, C. Tenge, N. Busakhala, B. Jakait, E.M. Schellhase, A.G. Rosmarin, and P.J. Loehrer, *Retrospective analysis of the efficacy of gemcitabine for previously treated AIDS-associated Kaposi's sarcoma in western Kenya*. Oncology, 2010. 78(1): p. 5-11.
- 142. Su, L. and J.W. Hogan, *Varying-coefficient models for longitudinal processes with continuous-time informative dropout*. Biostatistics, 2010. 11(1): p. 93-110.
- 143. Tierney, W.M., M. Achieng, E. Baker, A. Bell, P. Biondich, P. Braitstein, D. Kayiwa, S. Kimaiyo, B. Mamlin, B. McKown, N. Musinguzi, W. Nyandiko, J. Rotich, J. Sidle, A. Siika, M. Were, B. Wolfe, K. Wools-Kaloustian, A. Yeung, C. Yiannoutsos, and C. Tanzania-Uganda Openmrs, *Experience implementing electronic health records in three East African countries*. Studies in Health Technology & Informatics, 2010. 160(Pt 1): p. 371-5.
- 144. Tierney, W.M., A.S. Kanter, H.S. Fraser, and C. Bailey, *A toolkit for e-health partnerships in low-income nations*. Health affairs, 2010. 29(2): p. 268-73.
- Tuboi, S.H., A.G. Pacheco, L.H. Harrison, R.A. Stone, M. May, M.W. Brinkhof, F. Dabis, M. Egger, D. Nash, D. Bangsberg, P. Braitstein, C.T. Yiannoutsos, R. Wood, E. Sprinz, and M. Schechter, *Mortality associated with discordant responses to antiretroviral therapy in resource-constrained settings*. Journal of acquired immune deficiency syndromes, 2010. 53(1): p. 70-7.
- 146. Vreeman, R.C., W.M. Nyandiko, S.O. Ayaya, E.G. Walumbe, D.G. Marrero, and T.S. Inui, *The perceived impact of disclosure of pediatric HIV status on pediatric antiretroviral therapy adherence, child well-being, and social relationships in a resource-limited setting*. AIDS Patient Care & Stds, 2010. 24(10): p. 639-49.
- 147. Vreeman, R.C., W.M. Nyandiko, P. Braitstein, M.C. Were, S.O. Ayaya, S.K. Ndege, and S.E. Wiehe, *Acceptance of HIV testing for children ages 18 months to 13 years identified through voluntary, home-based HIV counseling and testing in western Kenya*. Journal of acquired immune deficiency syndromes, 2010. 55(2): p. e3-10.
- 148. Were, M.C., N. Emenyonu, M. Achieng, C. Shen, J. Ssali, J.P. Masaba, and W.M. Tierney, *Evaluating a scalable model for implementing electronic health records in resource-limited settings.* Journal of the American Medical Informatics Association: JAMIA, 2010. 17(3): p. 237-44.
- 149. Were, M.C., J. Kariuki, V. Chepng'eno, M. Wandabwa, S. Ndege, P. Braitstein, J. Wachira, S. Kimaiyo, and B. Mamlin, *Leapfrogging paper-based records using handheld technology: experience from Western Kenya*. Studies in health technology and informatics, 2010. 160(Pt 1): p. 525-9.
- 150. Were, M.C., C. Shen, M. Bwana, N. Emenyonu, N. Musinguzi, F. Nkuyahaga, A. Kembabazi, and W.M. Tierney, *Creation and evaluation of EMR-based paper clinical summaries to support HIV-care in Uganda, Africa.* International Journal of Medical Informatics, 2010. 79(2): p. 90-6.
- 151. Bloomfield, G.S., J.W. Hogan, A. Keter, E. Sang, E.J. Carter, E.J. Velazquez, and S. Kimaiyo, *Hypertension and obesity as cardiovascular risk factors among HIV seropositive patients in Western Kenya*. PLoS ONE [Electronic Resource], 2011. 6(7): p. e22288.
- 152. Bloomfield, G.S., S. Kimaiyo, E.J. Carter, C. Binanay, G.R. Corey, R.M. Einterz, W.M. Tierney, and E.J. Velazquez, *Chronic noncommunicable cardiovascular and pulmonary disease in sub-Saharan Africa: an academic model for countering the epidemic*. American Heart Journal, 2011. 161(5): p. 842-7.
- 153. Boltz, V.F., Y. Zheng, S. Lockman, F. Hong, E.K. Halvas, J. McIntyre, J.S. Currier, M.C. Chibowa, C. Kanyama, A. Nair, W. Owino-Ong'or, M. Hughes, J.M. Coffin, and J.W. Mellors, *Role of low-frequency HIV-1 variants in failure of nevirapine-containing antiviral therapy in women previously exposed to*

- *single-dose nevirapine.* Proceedings of the National Academy of Sciences of the United States of America, 2011. 108(22): p. 9202-7.
- 154. Braithwaite, R.S., K.A. Nucifora, C.T. Yiannoutsos, B. Musick, S. Kimaiyo, L. Diero, M.C. Bacon, and K. Wools-Kaloustian, *Alternative antiretroviral monitoring strategies for HIV-infected patients in east Africa: opportunities to save more lives?* Journal of the International AIDS Society, 2011. 14: p. 38.
- 155. Braitstein, P., J. Songok, R.C. Vreeman, K.K. Wools-Kaloustian, P. Koskei, L. Walusuna, S. Ayaya, W. Nyandiko, and C. Yiannoutsos, "Wamepotea" (they have become lost): outcomes of HIV-positive and HIV-exposed children lost to follow-up from a large HIV treatment program in western Kenya. Journal of acquired immune deficiency syndromes, 2011. 57(3): p. e40-6.
- 156. Burton, D.C., B. Flannery, B. Onyango, C. Larson, J. Alaii, X. Zhang, M.J. Hamel, R.F. Breiman, and D.R. Feikin, *Healthcare-seeking behaviour for common infectious disease-related illnesses in rural Kenya: a community-based house-to-house survey*. Journal of health, population, and nutrition, 2011. 29(1): p. 61-70.
- 157. Gardner, A., T. Cohen, and E.J. Carter, Tuberculosis among participants in an academic global health medical exchange program. *Journal of General Internal Medicine*, 2011. 26(8): p. 841-5.
- 158. Geng, E.H., P.W. Hunt, L.O. Diero, S. Kimaiyo, G.R. Somi, P. Okong, D.R. Bangsberg, M.B. Bwana, C.R. Cohen, J.A. Otieno, D. Wabwire, B. Elul, D. Nash, P.J. Easterbrook, P. Braitstein, B.S. Musick, J.N. Martin, C.T. Yiannoutsos, and K. Wools-Kaloustian, *Trends in the clinical characteristics of HIV-infected patients initiating antiretroviral therapy in Kenya, Uganda and Tanzania between 2002 and 2009*. Journal of the International AIDS Society, 2011. 14: p. 46.
- 159. Havlir, D.V., M.A. Kendall, P. Ive, J. Kumwenda, S. Swindells, S.S. Qasba, A.F. Luetkemeyer, E. Hogg, J.F. Rooney, X. Wu, M.C. Hosseinipour, U. Lalloo, V.G. Veloso, F.F. Some, N. Kumarasamy, N. Padayatchi, B.R. Santos, S. Reid, J. Hakim, L. Mohapi, P. Mugyenyi, J. Sanchez, J.R. Lama, J.W. Pape, A. Sanchez, A. Asmelash, E. Moko, F. Sawe, J. Andersen, and I. Sanne, *Timing of Antiretroviral Therapy for HIV-1 Infection and Tuberculosis*. New England Journal of Medicine, 2011. 365(16): p. 1482-1491.
- 160. Keter, K.A., R.A. Otieno, and K.J. Kinyanjui, *Sample Size for a Randomized Paired Screen Positive Design*. JP Journal of Biostatistics, 2011. 6(2): p. 97-108.
- 161. Kigen, G., S. Kimaiyo, W. Nyandiko, B. Faragher, E. Sang, B. Jakait, A. Owen, D. Back, S. Gibbons, K. Seden, S.H. Khoo, and U.S.-A.M.f.P.T.o. *HIV/AIDS, Prevalence of potential drug-drug interactions involving antiretroviral drugs in a large Kenyan cohort*. PLoS ONE [Electronic Resource], 2011. 6(2): p. e16800.
- 162. Kosgei, R.J., K.M. Lubano, C. Shen, K.K. Wools-Kaloustian, B.S. Musick, A.M. Siika, H. Mabeya, E.J. Carter, A. Mwangi, and J. Kiarie, *Impact of Integrated Family Planning and HIV Care Services on Contraceptive Use and Pregnancy Outcomes: A Retrospective Cohort Study*. Journal of acquired immune deficiency syndromes, 2011. 58(5): p. e121-6.
- 163. Kosgei, R.J., P.M. Ndavi, J.O. Ong'ech, J.M. Abuya, A.M. Siika, K. Wools-Kaloustian, H. Mabeya, T. Fojo, A. Mwangi, T. Reid, M.E. Edginton, and E.J. Carter, *Symptom screen: diagnostic usefulness in detecting pulmonary tuberculosis in HIV-infected pregnant women in Kenya*. Public Health Action, 2011. 1(2): p. 30-33.
- 164. Mabeya, H., K. Khozaim, T. Liu, O. Orango, D. Chumba, L. Pisharodi, J. Carter, and S. Cu-Uvin, *Comparison of Conventional Cervical Cytology Versus Visual Inspection With Acetic Acid Among Human Immunodeficiency Virus-Infected Women in Western Kenya.* Journal of lower genital tract disease, 2011.
- 165. Manji, I., S.D. Pastakia, A.N. Do, M.N. Ouma, E. Schellhase, R. Karwa, M.L. Miller, C. Saina, and C. Akwanalo, *Performance outcomes of a pharmacist-managed anticoagulation clinic in the rural, resource-constrained setting of Eldoret, Kenya*. Journal of thrombosis and haemostasis: JTH, 2011. 9(11): p. 2215-20.
- 166. McClure, E.M., O. Pasha, S.S. Goudar, E. Chomba, A. Garces, A. Tshefu, F. Althabe, F. Esamai, A. Patel, L.L. Wright, J. Moore, B.S. Kodkany, J.M. Belizan, S. Saleem, R.J. Derman, W.A. Carlo, K.M. Hambidge, P.

- Buekens, E.A. Liechty, C. Bose, M. Koso-Thomas, A.H. Jobe, and R.L. Goldenberg, *Epidemiology of stillbirth in low-middle income countries: a Global Network Study.* Acta obstetricia et gynecologica Scandinavica, 2011. 90(12): p. 1379-85.
- 167. McFadden, E., S.J. Taleski, A. Bocking, R.F. Spitzer, and H. Mabeya, *Retrospective review of predisposing factors and surgical outcomes in obstetric fistula patients at a single teaching hospital in Western kenya*. Journal of obstetrics and gynaecology Canada: JOGC = Journal d'obstetrique et gynecologie du Canada: JOGC, 2011. 33(1): p. 30-5.
- 168. Mujugira, A., J.M. Baeten, D. Donnell, P. Ndase, N.R. Mugo, L. Barnes, J.D. Campbell, J. Wangisi, J.W. Tappero, E. Bukusi, C.R. Cohen, E. Katabira, A. Ronald, E. Tumwesigye, E. Were, K.H. Fife, J. Kiarie, C. Farquhar, G. John-Stewart, L. Kidoguchi, D. Panteleeff, M. Krows, H. Shah, J. Revall, S. Morrison, L. Ondrejcek, C. Ingram, R.W. Coombs, J.R. Lingappa, and C. Celum, *Characteristics of HIV-1 serodiscordant couples enrolled in a clinical trial of antiretroviral pre-exposure prophylaxis for HIV-1 prevention*. PLoS ONE [Electronic Resource], 2011. 6(10): p. e25828.
- 169. Mujugira, A., R.A. Morrow, C. Celum, J. Lingappa, S. Delany-Moretlwe, K.H. Fife, R. Heffron, G. De Bruyn, B. Homawoo, E. Karita, N. Mugo, B. Vwalika, and J.M. Baeten, *Performance of the Focus HerpeSelect-2 enzyme immunoassay for the detection of herpes simplex virus type 2 antibodies in seven African countries*. Sexually transmitted infections, 2011. 87(3): p. 238-41.
- 170. Naanyu, V., J.E. Sidle, R.M. Frankel, D. Ayuku, W.M. Nyandiko, and T.S. Inui, *Rooting inquiry in tradition:* the health baraza as a tool for social research in Kenya. Qualitative Health Research, 2011. 21(1): p. 14-26.
- 171. Nyandiko, W., A. Mwangi, E. Sang, R. Vreeman, I. Marete, E. Nabakwe, C. Tenge, P.M. Gisore, J. Songok, J. Kiplagat, E. Walumbe, and S. Ayaya, *MORBIDITY AND MORTALITY IN HIV-INFECTED CHILDREN ADMITTED TO MOI TEACHING AND REFERRAL HOSPITAL IN WESTERN KENYA*. East African Medical Journal, 2011. 88(4): p. 382-390.
- 172. Papas, R.K., J.E. Sidle, B.N. Gakinya, J.B. Baliddawa, S. Martino, M.M. Mwaniki, R. Songole, O.E. Omolo, A.M. Kamanda, D.O. Ayuku, C. Ojwang, W.D. Owino-Ong'or, M. Harrington, K.J. Bryant, K.M. Carroll, A.C. Justice, J.W. Hogan, and S.A. Maisto, *Treatment outcomes of a stage 1 cognitive—behavioral trial to reduce alcohol use among human immunodeficiency virus-infected out-patients in western Kenya*. Addiction, 2011. 106(12): p. 2156-2166.
- 173. Pastakia, S.D., R. Karwa, C.B. Kahn, and J.S. Nyabundi, *The evolution of diabetes care in the rural, resource-constrained setting of western Kenya*. Annals of Pharmacotherapy, 2011. 45(6): p. 721-6.
- 174. Patel, K., J. Rotich, J. Kiplagat, K. Kirwa, A. Mwangi, S. Kimaiyo, and S.K. Mining, *THE IMMUNE MODULATING PROPERTIES AND SAFETY OF PLANT STEROL AND STEROLIN FORMULATION IN EARLY HIV INFECTION*. Egypt Journal of Laboratory Medicine, 2011. 22(2): p. 1-10.
- 175. Pop-Eleches, C., H. Thirumurthy, J.P. Habyarimana, J.G. Zivin, M.P. Goldstein, D. de Walque, L. MacKeen, J. Haberer, S. Kimaiyo, J. Sidle, D. Ngare, and D.R. Bangsberg, *Mobile phone technologies improve adherence to antiretroviral treatment in a resource-limited setting: a randomized controlled trial of text message reminders*. AIDS, 2011. 25(6): p. 825-34.
- 176. Prudhomme O'Meara, W., N. Smith, E. Ekal, D. Cole, and S. Ndege, Spatial Distribution of Bednet *Coverage under Routine Distribution through the Public Health Sector in a Rural District in Kenya*. PLoS ONE [Electronic Resource], 2011. 6(10): p. e25949.
- 177. Singhal, N., J. Lockyer, H. Fidler, W. Keenan, G. Little, S. Bucher, M. Qadir, and S. Niermeyer, *Helping Babies Breathe: Global neonatal resuscitation program development and formative educational evaluation*. Resuscitation, 2011.
- 178. Su, L. and J. Hogan, *HIV dynamics and natural history studies: Joint modeling with interval-censored event times and infrequent longitudinal data*. Annals of Applied Statistics, 2011. 5(1): p. 400-426.
- 179. Wachira, J., S. Kimaiyo, S. Ndege, J. Mamlin, and P. Braitstein, What Is the Impact of Home-Based HIV

- Counseling and Testing on the Clinical Status of Newly Enrolled Adults in a Large HIV Care Program in Western Kenya? Clinical Infectious Diseases 2011. HIV/AIDS(December 8, 2011): p. 1-7.
- 180. Were, E., K. Curran, S. Delany-Moretlwe, E. Nakku-Joloba, N.R. Mugo, J. Kiarie, E.A. Bukusi, C. Celum, and J.M. Baeten, *A prospective study of frequency and correlates of intimate partner violence among African heterosexual HIV serodiscordant couples*. AIDS, 2011. 25(16): p. 2009-18.
- 181. Were, M.C., C. Shen, W.M. Tierney, J.J. Mamlin, P.G. Biondich, X. Li, S. Kimaiyo, and B.W. Mamlin, Evaluation of computer-generated reminders to improve CD4 laboratory monitoring in sub-Saharan Africa: a prospective comparative study. Journal of the American Medical Informatics Association, 2011. 18(2): p. 150-5.
- 182. Yoder, R.B., W.M. Nyandiko, R.C. Vreeman, S.O. Ayaya, P.O. Gisore, P. Braitstein, and S.E. Wiehe, *Long-term impact of the Kenya post-election crisis on clinic attendance and medication adherence for HIV-infected children in western Kenya*. JAIDS Journal of Acquired Immune Deficiency Syndromes, 2011(Oct 25).
- 183. Althabe, F., J.M. Belizan, A. Mazzoni, M. Berrueta, J. Hemingway-Foday, M. Koso-Thomas, E. McClure, E. Chomba, A. Garces, S. Goudar, B. Kodkany, S. Saleem, O. Pasha, A. Patel, F. Esamai, W.A. Carlo, N.F. Krebs, R.J. Derman, R.L. Goldenberg, P. Hibberd, E.A. Liechty, L.L. Wright, E.F. Bergel, A.H. Jobe, and P. Buekens, *Antenatal corticosteroids trial in preterm births to increase neonatal survival in developing countries: study protocol.* Reproductive health, 2012. 9: p. 22.
- Baeten, J.M., D. Donnell, P. Ndase, N.R. Mugo, J.D. Campbell, J. Wangisi, J.W. Tappero, E.A. Bukusi, C.R. Cohen, E. Katabira, A. Ronald, E. Tumwesigye, E. Were, K.H. Fife, J. Kiarie, C. Farquhar, G. John-Stewart, A. Kakia, J. Odoyo, A. Mucunguzi, E. Nakku-Joloba, R. Twesigye, K. Ngure, C. Apaka, H. Tamooh, F. Gabona, A. Mujugira, D. Panteleeff, K.K. Thomas, L. Kidoguchi, M. Krows, J. Revall, S. Morrison, H. Haugen, M. Emmanuel-Ogier, L. Ondrejcek, R.W. Coombs, L. Frenkel, C. Hendrix, N.N. Bumpus, D. Bangsberg, J.E. Haberer, W.S. Stevens, J.R. Lingappa, and C. Celum, Antiretroviral prophylaxis for HIV prevention in heterosexual men and women. The New England journal of medicine, 2012. 367(5): p. 399-410.
- 185. Belizan, J.M., E.M. McClure, S.S. Goudar, O. Pasha, F. Esamai, A. Patel, E. Chomba, A. Garces, L.L. Wright, M. Koso-Thomas, J. Moore, F. Althabe, B.S. Kodkany, N. Sami, A. Manasyan, R.J. Derman, E.A. Liechty, P. Hibberd, W.A. Carlo, K.M. Hambidge, P. Buekens, A.H. Jobe, and R.L. Goldenberg, *Neonatal death in low-to middle-income countries: a global network study*. American journal of perinatology, 2012. 29(8): p. 649-56.
- 186. Bell, A., K.K. Wools, S. Kimaiyo, H. Liu, A.R. Katschke, C. Shen, G. Simiyu, B. Musick, J. Sidle, A. Siika, and P. Braitstein, *Short-Term Rationing of Combination Antiretroviral Therapy: Impact on Morbidity, Mortality, and Loss to Follow-Up in a Large HIV Treatment Program in Western Kenya*. AIDS Research and Treatment, 2012. 2012: p. 9.
- 187. Bloomfield, G.S., D.K. Lagat, O.C. Akwanalo, E.J. Carter, N. Lugogo, R. Vedanthan, E.J. Velazquez, S. Kimaiyo, and C.B. Sherman, *Conditions That Predispose to Pulmonary Hypertension and Right Heart Failure in Persons Exposed to Household Air Pollution in LMIC*. Global Heart, 2012. 7(3): p. 249-259.
- 188. Braitstein, P., A. Siika, J. Hogan, R.J. Kosgei, E. Sang, J. Sidle, K.K. Wools, A. Keter, J.J. Mamlin, and S. Kimaiyo, *A clinician-nurse model to reduce early mortality and increase clinic retention among high-risk HIV-infected patients initiating combination antiretroviral treatment*. Journal of the International AIDS Society, 2012. 15(7).
- 189. Ditiu, L. and B. Kumar, *Tuberculosis care: why the words we use matter [Editorial*]. The International Journal of Tuberculosis and Lung Disease, 2012. 16(6): p. 711-711.
- 190. Embleton, L., D. Ayuku, L. Atwoli, R. Vreeman, and P. Braitstein, *Knowledge, Attitudes, and Substance Use Practices Among Street Children in Western Kenya*. Substance Use & Misuse, 2012. 0(0): p. null.
- 191. Garces, A., E.M. McClure, E. Chomba, A. Patel, O. Pasha, A. Tshefu, F. Esamai, S. Goudar, A. Lokangaka, K.M. Hambidge, L.L. Wright, M. Koso-Thomas, C. Bose, W.A. Carlo, E.A. Liechty, P.L. Hibberd, S. Bucher,

- R. Whitworth, and R.L. Goldenberg, *Home birth attendants in low income countries: who are they and what do they do?* BMC pregnancy and childbirth, 2012. 12: p. 34.
- 192. Gichoya, J., R.E. Gamache, D.J. Vreeman, B.E. Dixon, J.T. Finnell, and S. Grannis, *An Evaluation of the Rates of Repeat Notifiable Disease Reporting and Patient Crossover Using a Health Information Exchange-based Automated Electronic Laboratory Reporting System*. AMIA ... Annual Symposium proceedings / AMIA Symposium. AMIA Symposium, 2012. 2012: p. 1229-36.
- 193. Gisore, P., E. Shipala, K. Otieno, B. Rono, I. Marete, C. Tenge, H. Mabeya, S. Bucher, J. Moore, E. Liechty, and F. Esamai, *Community based weighing of newborns and use of mobile phones by village elders in rural settings in Kenya: a decentralised approach to health care provision*. BMC pregnancy and childbirth, 2012. 12: p. 15.
- 194. Goudar, S.S., W.A. Carlo, E.M. McClure, O. Pasha, A. Patel, F. Esamai, E. Chomba, A. Garces, F. Althabe, B. Kodkany, N. Sami, R.J. Derman, P.L. Hibberd, E.A. Liechty, N.F. Krebs, K.M. Hambidge, P. Buekens, J. Moore, D. Wallace, A.H. Jobe, M. Koso-Thomas, L.L. Wright, and R.L. Goldenberg, *The Maternal and Newborn Health Registry Study of the Global Network for Women's and Children's Health Research.* International journal of gynaecology and obstetrics: the official organ of the International Federation of Gynaecology and Obstetrics, 2012. 118(3): p. 190-3.
- 195. Huang, K., C. Owino, R. Vreeman, M. Hagembe, F. Njuguna, R.M. Strother, and G. Gramelspacher, Assessment of the face validity of two pain scales in Kenya: a validation study using cognitive interviewing. BMC Palliative Care, 2012. 11(1): p. 5.
- 196. Kirui, N.K., S.D. Pastakia, J.H. Kamano, S. Cheng, E. Manuthu, P. Chege, A. Gardner, A. Mwangi, D.A. Enarson, A.J. Reid, and E.J. Carter, *Important co-morbidity in patients with diabetes mellitus in three clinics in Western Kenya*. Public Health Action, 2012. 2(4): p. 148-151.
- 197. Kwobah, C.M., A. Mwangi, J.K. Koech, G.N. Simiyu, and A. Siika, *Factors Associated with First-Line Antiretroviral Therapy Failure amongst HIV-Infected African Patients: A Case-Control Study*. World Journal of AIDS, 2012. 2(4): p. 271-278.
- 198. Kwobah, C.M., K.K. Wools-Kaloustian, J.N. Gitau, and A.M. Siika, *Human immunodeficiency virus and leprosy coinfection: challenges in resource-limited setups.* Case reports in medicine, 2012. 2012: p. 698513.
- 199. Lauer, M., H.E. Tolunay, J. Baumgartner, G.S. Bloomfield, L. Fine, and A. Chockalingam, *Household Air Pollution and CVD: Identifying Best Directions for Research*. Global Heart, 2012. 7(3): p. 271-274.
- 200. Lockman, S., M. Hughes, F. Sawe, Y. Zheng, J. McIntyre, T. Chipato, A. Asmelash, M. Rassool, S. Kimaiyo, D. Shaffer, M. Hosseinipour, L. Mohapi, F. Ssali, M. Chibowa, F. Amod, E. Halvas, E. Hogg, B. Alston-Smith, L. Smith, R. Schooley, J. Mellors, J. Currier, and O.A.A.O.S.T. the, Nevirapine- Versus Lopinavir/Ritonavir-Based Initial Therapy for HIV-1 Infection among Women in Africa: A Randomized Trial. PLoS medicine, 2012. 9(6): p. e1001236.
- 201. McCracken, J.P., G.A. Wellenius, G.S. Bloomfield, R.D. Brook, H.E. Tolunay, D.W. Dockery, C. Rabadan-Diehl, W. Checkley, and S. Rajagopalan, *Household Air Pollution from Solid Fuel Use: Evidence for Links to CVD*. Global Heart, 2012. 7(3): p. 223-234.
- 202. Ndase, P., C. Celum, K. Thomas, D. Donnell, K.H. Fife, E. Bukusi, S. Delany-Moretlwe, and J.M. Baeten, Outside sexual partnerships and risk of HIV acquisition for HIV uninfected partners in African HIV serodiscordant partnerships. Journal of acquired immune deficiency syndromes, 2012. 59(1): p. 65-71.
- 203. Oyieng'o, D., P. Park, A. Gardner, G. Kisang, L. Diero, J. Sitienei, and J. Carter, *Community-based treatment of multidrug-resistant tuberculosis: early experience and results from Western Kenya*. Public Health Action, 2012. 2(2): p. 38-42.
- 204. Papas, R.K., B.N. Gakinya, J. Baliddawa, S. Martino, K.J. Bryant, E.M. Meslin, and J. Sidle, *Ethical Issues in a Stage 1 Cognitive-Behavioral Therapy Feasibility Study and Trial to Reduce Alcohol Use Among HIV-Infected Outpatients in Western Kenya*. Journal of empirical research on human research ethics:

- JERHRE, 2012. 7(3): p. 29-37.
- 205. Park, P.H., C. Magut, A. Gardner, D.O. O'yiengo, L. Kamle, B.K. Langat, N.G. Buziba, and E.J. Carter, Increasing access to the MDR-TB surveillance programme through a collaborative model in western Kenya. Tropical Medicine & International Health, 2012. 17(3): p. 374-379.
- 206. Pearce, E.C., J.F. Woodward, W.M. Nyandiko, R.C. Vreeman, and S.O. Ayaya, *A systematic review of clinical diagnostic systems used in the diagnosis of tuberculosis in children*. AIDS Research and Treatment, 2012. 2012: p. 401896.
- 207. Porter, K.A., S.R. Cole, J.J. Eron, Jr., Y. Zheng, M.D. Hughes, S. Lockman, C. Poole, T.S. Skinner-Adams, M. Hosseinipour, D. Shaffer, R. D'Amico, F.K. Sawe, A. Siika, E. Stringer, J.S. Currier, T. Chipato, R. Salata, J.S. McCarthy, and S.R. Meshnick, HIV-1 protease inhibitors and clinical malaria: a secondary analysis of the AIDS Clinical Trials Group A5208 study. Antimicrobial agents and chemotherapy, 2012. 56(2): p. 995-1000.
- 208. Rajput, Z.A., S. Mbugua, D. Amadi, V. Chepngeno, J.J. Saleem, Y. Anokwa, C. Hartung, G. Borriello, B.W. Mamlin, S.K. Ndege, and M.C. Were, *Evaluation of an Android-based mHealth system for population surveillance in developing countries*. Journal of the American Medical Informatics Association: JAMIA, 2012. 19(4): p. 655-9.
- 209. Strother, R.M., M. Fitch, P. Kamau, K. Beattie, A. Boudreau, N. Busakhalla, and P.J. Loehrer, *Building cancer nursing skills in a resource-constrained government hospital*. Supportive care in cancer: official journal of the Multinational Association of Supportive Care in Cancer, 2012.
- 210. Strother, R.M., K.V. Rao, K.M. Gregory, B. Jakait, N. Busakhala, E. Schellhase, S. Pastakia, M. Krzyzanowska, and P.J. Loehrer, *The oncology pharmacy in cancer care delivery in a resource-constrained setting in western Kenya*. Journal of oncology pharmacy practice: official publication of the International Society of Oncology Pharmacy Practitioners, 2012.
- 211. Thirumurthy, H., O. Galarraga, B. Larson, and S. Rosen, *HIV treatment produces economic returns* through increased work and education, and warrants continued *US support*. Health affairs, 2012. 31(7): p. 1470-7.
- 212. Thirumurthy, H., M. Goldstein, J.G. Zivin, J. Habyarimana, and C. Pop-Eleches, *Behavioral Responses of Patients in AIDS Treatment Programs: Sexual Behavior in Kenya*. Forum for health economics & policy, 2012. 15(2).
- 213. Thirumurthy, H., N. Siripong, R.C. Vreeman, C. Popeleches, J.P. Habyarimana, J.E. Sidle, A.M. Siika, and D.R. Bangsberg, *Differences between self-reported and electronically monitored adherence among patients receiving antiretroviral therapy in Kenya*. AIDS, 2012.
- Thirumurthy, H. and J.G. Zivin, *Health and labor supply in the context of HIV/AIDS: the long-run economic impacts on antiretroviral therapy*(). Economic development and cultural change, 2012. 61(1): p. 73-96.
- 215. Thompson, R.T., E.M. Meslin, P.K.A. Braitstein, W.M. Nyandiko, S.O. Ayaya, and R.C. Vreeman, *The Vulnerabilities of Orphaned Children Participating in Research: A Critical Review and Factors for Consideration for Participation in Biomedical and Behavioral Research*. Journal of Empirical Research on Human Research Ethics: An International Journal, 2012. 7(4): p. 56-66.
- 216. Vreeman, R., E. Kamaara, A. Kamanda, D. Ayuku, W. Nyandiko, L. Atwoli, S. Ayaya, P. Gisore, M. Scanlon, and P. Braitstein, *Community Perspectives on Research Consent Involving Vulnerable Children in Western Kenya*. Journal of Empirical Research on Human Research Ethics: An International Journal, 2012. 7(4): p. 44-55.
- 217. Vreeman, R., E. Kamaara, A. Kamanda, D. Ayuku, W. Nyandiko, L. Atwoli, S. Ayaya, P. Gisore, M. Scanlon, and P. Braitstein, *A qualitative study using traditional community assemblies to investigate community perspectives on informed consent and research participation in western Kenya*. BMC Medical Ethics, 2012. 13(1): p. 23.
- 218. Vreeman, R.C., W.M. Nyandiko, S.O. Ayaya, E.G. Walumbe, and T.S. Inui, *Cognitive Interviewing for Cross-Cultural Adaptation of Pediatric Antiretroviral Therapy Adherence Measurement Items*.

- International journal of behavioral medicine, 2012.
- 219. Wachira, J., S.E. Middlestadt, R. Vreeman, and P. Braitstein, *Factors underlying taking a child to HIV care: implications for reducing loss to follow-up among HIV-infected and -exposed children*. SAHARA-J: Journal of Social Aspects of HIV/AIDS, 2012. 9(1): p. 20-29.
- 220. Zachariah, R., A.D. Harries, S. Srinath, S. Ram, K. Viney, E. Singogo, P. Lal, A. Mendoza-Ticona, A. Sreenivas, N.W. Aung, B.N. Sharath, H. Kanyerere, N. van Soelen, N. Kirui, E. Ali, S.G. Hinderaker, K. Bissell, D.A. Enarson, and M.E. Edginton, *Language in tuberculosis services: can we change to patient-centred terminology and stop the paradigm of blaming the patients?* [Perspectives]. The International Journal of Tuberculosis and Lung Disease, 2012. 16(6): p. 714-717.
- 221. Ayuo, P., B. Musick, H. Liu, P. Braitstein, W. Nyandiko, B. Otieno-Nyunya, A. Gardner, and K. Wools-Kaloustian, Frequency and factors associated with adherence to and completion of combination antiretroviral therapy for prevention of mother to child transmission in western Kenya. 2013.
- 222. Embleton, L., L. Atwoli, D. Ayuku, and P. Braitstein, *The Journey of Addiction: Barriers to and Facilitators of Drug Use Cessation among Street Children and Youths in Western Kenya*. PLoS ONE [Electronic Resource], 2013. 8(1): p. e53435.
- 223. House, D.R., E. Ngetich, R.C. Vreeman, and D.E. Rusyniak, *Estimating the weight of children in kenya: do the broselow tape and age-based formulas measure up?* Annals of emergency medicine, 2013. 61(1): p. 1-8.
- 224. Kamanda, A., L. Embleton, D. Ayuku, L. Atwoli, P. Gisore, S. Ayaya, R. Vreeman, and P. Braitstein, Harnessing the power of the grassroots to conduct public health research in sub-Saharan Africa: a case study from western Kenya in the adaptation of community-based participatory research (CBPR) approaches. BMC Public Health, 2013. 13(1): p. 91.
- 225. Morantz, G., D. Cole, R. Vreeman, S. Ayaya, D. Ayuku, and P. Braitstein, *Child abuse and neglect among orphaned children and youth living in extended families in sub-Saharan Africa: What have we learned from qualitative inquiry?* Vulnerable Children and Youth Studies, 2013: p. 1-15.
- 226. Siika, A.M., C.T. Yiannoutsos, K.K. Wools-Kaloustian, B.S. Musick, A.W. Mwangi, L.O. Diero, S.N. Kimaiyo, W.M. Tierney, and J.E. Carter, *Active Tuberculosis Is Associated with Worse Clinical Outcomes in HIV-Infected African Patients on Antiretroviral Therapy*. PLoS ONE [Electronic Resource], 2013. 8(1): p. e53022.
- 227. Wolfe, D., *Risk and resilience in the context of child maltreatment: The way forward.* Child Abuse & Neglect, 2013(0).

In Press/Review

- 228. C.J. Zeunik, W.M. Nyandiko, T.S. Inui, S.O. Ayaya, D.G. Marrero, and R.C. Vreeman, *A Qualitative Assessment of Barriers to Antiretroviral Therapy Adherence among Adolescents in Western Kenya*. Journal of HIV/Aids and Social Services, 2013.
- 229. Karoney, M. and A.M. Siika, *Hepatitis C Virus (HCV) Infection in Africa: A Review*. Pan African Medical Journal, 2013.
- 230. Naanyu, V., F.F. Some, and A.M. Siika, "I understood but some parts were confusing and hard to grasp:"

 Patients Perception of Informed Consent Forms and Clinical Trials in Eldoret, Kenya. Journal of medical ethics, 2013.
- 231. Scanlon, M. and R. Vreeman, *Current Strategies for Improving Adherence to Antiretroviral Therapies in Resource-Limited Settings*. HIV/AIDS Research and Palliative Care, 2013.
- 232. Siika, A.M., A.W. Mwangi, J.E. Carter, K. Wools-Kaloustain, B.S. Musick, and J. Hogan, *Early Antiretroviral Therapy Initiation Improves Survival in HIV and Tuberculosis Co-Infected Patients*. 2013.
- 233. Siika, A.M., C.T. Yiannoutsos, K. Wools-Kaloustain, B.S. Musick, A.W. Mwangi, L.O. Diero, S.N. Kimaiyo, W.M. Tierney, and J.E. Carter, *Tuberculosis Adversely Impacts Clinical Outcomes in HIV-Infected African*

AMPATH Research Program Office

- Patients on Antiretroviral Therapy. PLoS ONE [Electronic Resource], 2013.
- 234. Turissini, M.L., W. Nyandiko, S.O. Ayaya, I. Marete, A. Mwangi, V. Chemboi, L. Warui, and R.C. Vreeman, The Prevalence of Disclosure of HIV Status to HIV-Infected Children in Western Kenya. Journal of the Pediatric Disease Society, 2013.
- Were, M.C., W. Nyandiko, K.T. Huang, J.E. Slaven, W.M. Tierney, and R.C. Vreeman, *Computer-Generated Reminders and Quality of Pediatric HIV Care in a Resource-Limited Setting*. Pediatrics, 2013.

Index

Abrams, E31	Biondich, P 3	8
AIDS 2, 5, 6, 19, 22, 31, 34, 39, 40, 49, 50, 51, 52, 53,	Blaschke, T 2	24
54, 55, 56, 57	Bloomfield, G28, 32, 4	14
Akhaabi, P4	Bloomfield, J	.2
Akwanalo, C2, 8, 44	Braitstein, P31, 38, 49, 50, 52, 54, 5	55
AMRS14, 38, 50	breast cancer10, 33, 4	
Amukura15		
Anstrom, K2, 45	Breast Cancer10, 33, 4	
Arpadi, S24	Bucher, S22, 4	∤2
	Burnt Forest10, 13, 15, 16, 22, 26, 3	35
ART 4, 6, 8, 12, 15, 20, 25, 34, 39, 41, 49, 52	Busakhala N 4	1 6
Asirwa, C10, 34, 36, 43	Busakhala, N	13
Atherosclerosis44	Buziba, N 1	۱1
atrial fibrillation32, 33		
Autopsy8	Caloia, D 1	
Ayaya, S11, 13, 20, 24, 31	CAMP24, 2	<u>2</u> 5
	cancer9, 10, 13, 33, 35, 36, 40, 41, 43, 4	16
Ayikukwei, R11	Cardiovascular28, 3	32
Ayuku, D15, 29	CARE+15, 1	۱6
Ayuo, P22	Carroll, A 2	24
Baliddawa, J5, 15	Carroll, K	
Bangsberg, D31		
Batya, E31	Carter, J11, 20, 26, 37, 44, 45, 5	
Bell, A4	cervical cancer 1	.3
	Checkley, W 2	26
Bell, D24	Chege, P 2	20
Biobanking32	chemotherapy 6 10 4	ļ1

Chemwolo, B	13, 23	Gardner, A	20, 37
children 10, 14, 15, 21, 25, 27, 29, 36, 49, 50 54, 55, 56	0, 51, 53,	Gisore, P	42
	7 22	Glidden, D	31
Christoffersen-Deb, A		Goodrich, S	34, 37
Chronic Obstructive Pulmonary Disease (CC	PD)45	Gramelspacher, G	9
Chulaimbo13, 15, 19, 2	22, 34, 35	Grand Challenges Canada	7
Chumba, D	11	Hagembe, M	9
COBES	14, 15	Hawk, S	42
Cohen, T	37	Hess, L	
Community Health Workers (CHWs)		Hogan, J2	
CHWs	7	-	
COPD	45	Holland, T	
Corey, R	44	House, D	
Cu-Uvin, S1	12, 40, 51	Huang, K	9
Czader, M		Hunt, P	31
Deeks, S		leDEA	31, 34
Diabetes		Inui, T10, 2	2, 24, 32, 33, 35, 43
		Itsura, P	12
Dickerson-Putman, J		IUPUI	19, 30, 36
Diero, L 13, 20, 26, 31, 34, 37, 38, 4	15, 49, 50	Jeff, M	34
disability adjusted life year (DALY)	15	Kamano, J	20, 28
Downs, S	24, 38	Kantor, R	20, 54
Drug resistance	20	Kanyi, J	8
Fazen, L	7, 23	Kaposi Sarcoma (KS)	
Fogarty International Center29, 3	88, 40, 45	Kapsokwony	
Fortenberry, J, D	15	·	
Gakinya R	5	Kaptagat	45

Karwa, R8	Mabeya, H 12
KEMRI8, 39	Maghasi, M
Kericho8	Maina, M8
Khunyangu34, 35	Maisto, S5
Kimaiyo, S2, 32, 44, 45, 54, 56	Maithya, H 19
Kirui, N20	Malaria12, 14, 27, 28, 54
Kitale14, 21, 24, 25, 34, 35, 51, 52	Mamlin, B 38
Koech, J37	Manji, I8, 27
Koech, M44	Marete, I 35
Kosgei, R20	Marrero, D
Kroenke, K38	Martin, J31, 41
Kurt, Y20	Martino, S5
Kwobah, C8	Mautuma 29
Lagat, D2, 6, 39, 45	McCalmont, T34
Lane, K4	Menya, D26, 27
Leboit, P34	Meslin, E29, 38
Lemons, J42	Miller, M8
leukemia14	Miranda, J 26
Litzelman, D11, 22	Modified Directly Observed Antiretroviral Therapy
Loehrer, P10, 33, 34	(M-DART) 34
Lorant, D11	Moi University 11, 15, 23, 29, 30, 36, 38, 48, 51
Lugina, E31	Monahan, P9
Lumarai, D46	Mosoriot 3, 7, 10, 13, 15, 19, 23, 33, 35, 40, 43, 48, 49
Lyamuya, R31	Mother and Baby Hospital13
Lymphoma31, 34	Mt. Elgon10, 33

MTRH2, 5, 6, 8, 9, 10, 11, 12, 13, 14, 15, 20, 21, 23,	Ogaro, F 26
24, 25, 28, 29, 32, 35, 36, 37, 38, 39, 40, 42, 44, 45, 46	O'Meara, W27, 38
Murage, T34	Omenge, E
Musick, B4, 22, 37	Orphans 19
Mwangi, A	Owino, C9
Naanyu, V10, 33, 36	Palakal, M 38
Naitiri15	Palmer, M 11
Nambale15, 35	Papas, R5
Nash, D31, 52	Pastakia, S8, 20, 28, 37
National Cancer Institute (NCI)5	PEPFAR24, 25, 34, 53, 54
National Institute of Allergy and Infectious Diseases	pMTCT21
(NIAID)5, 6	Port Victoria7, 34
National Institute of Dental Craniofacial Research (NIDCR)5	Renbarger, J 10
Ndanai26	resident exchange 11
neonatal7, 42	Rheumatic Heart Disease44
Ngonyani, K31	Riner, M 11
NIAID5, 6, 8, 11, 39	Rotich, J38, 50
NIH 3, 8, 10, 11, 15, 22, 24, 27, 28, 29, 30, 31, 35, 37,	Ruhl, L
38, 40, 41, 44, 45	Saina, C8
Njiru, E5, 10, 33	Schellhase, E8
Njuguna, F9, 10, 14	Shen, C4, 38
nutrition29, 52, 54, 55	Sherman, C 45
Nyabera, S20	Sidle, J
Nyandiko, W20, 22, 24, 28, 35, 38, 49	Siika, A 2, 5, 6, 8, 11, 15, 21, 22, 28, 34, 37, 38, 39
Nyunya, B22, 56	Simiyu, G 37

AMPATH Research Program Office

Sirwa, C33	Tuberculosis37, 39, 51
Skiles, J10, 14	Turbo. 5, 10, 13, 14, 15, 21, 24, 25, 29, 33, 35, 40, 43
Somi, R. G31	Umoren, R 11
Songok, J7, 13, 20, 23, 42	USAID24, 34
Soy29	Velasquez, E44
Spitzer, R13	Velazquez, E2
Stelzner, S11	Vreeman, R
Storniolo, A46	Wachira, J10, 33, 55
Strother, M	Walther Cancer Foundation10, 33, 43
Susan G. Komen46	Wanzhu, T
Swai, R31	Washington, S
Tabbey, R9	Webuye Hospital5, 8, 20, 24, 35
TB12, 14, 31, 38, 39, 52	Were, E4, 29, 53
Teso7	Were, M13, 38
Thirumurthy, H34, 50, 53	Woodward, J11
Tierney, W11, 13, 24	Wools-Kaloustian, K11, 13, 15, 21, 22, 31, 34, 37,
Toby, M34	40, 41, 51, 52, 55
Trautman, M42	Wools-Kaloustian, K4, 38
	Yiannoutsos, C11, 22, 31, 34